new infant formula

Infant formula

nearly identical to mother's milk' in nutritional breadth and balance


Five years of research and 41,000 patient days of clinical trials form the background of Enfamil.

Excellent acceptance. During the crucial first 8 weeks of life and throughout the formula feeding period, babies accept Enfamil and thrive on it. As shown in a well-controlled institutional study² covering the early period of formula feeding, the average daily caloric intake of Enfamil was 51.4 per pound. (The normal daily requirement for young infants is 45 to 55 calories per pound.³)

The same study² also showed that Enfamil produced


• good weight gains • good stool patterns

The Composition of Milks, Publication 254, National Academy of Sciences and National Research Council, Revised 1953.
 Brown, G. W.; Tuholski, J. M.; Sauer, L. W.; Minsk. L. D., and Rosenstern, I.: J. Pediat. 56:391 (Mar.) 1960.
 Watson, E. H., and Lowrey, G. H.: Growth and Development of Children, ed. 3, Chicago, The Year Book Publishers, Inc., 1958, p. 281.



Symbol of service in medicine





Available with either of the two outstanding bronchodilators

MEDIHALER-ISO®


Isoproterenol sulfate, 2.0 mg. per cc., suspended in inert, nontoxic aerosol vehicle. Contains no alcohol. Each automatically measured dose contains 0.075 mg. isoproterenol.

Usual precautions for administration of isoproterenol and epinephrine should be observed.

MEDIHALER-EPI®

Epinephrine bitartrate, 7.0 mg. per cc., suspended in inert, nontoxic aerosol vehicle. Contains no alcohol. Each automatically measured dose contains 0.15 mg. epinephrine.





Coupons attached to this bond, are redeemable for tax-exempt interest. Bonds like this are issued by municipal school, sanitation, flood control and hospital districts, counties, cities and states to finance civic improvements.

ALL the income is yours

The money you invest in municipal bonds works harder for you — because it works only for you. None of the interest received is subject to Federal Income Tax. You don't even report it. If you're in a medium or high tax bracket* a tax-free bond may yield more "take-home" income than the taxable return from other investments.

You can reduce your income tax. When taxable investment income is added to your salary or other business income, your income tax rate can increase substantially. You can lower your tax bracket and cut the tax on all your income by changing some of your taxable income to tax-free income. The interest you earn from municipal bonds, regardless of the amount you receive, does not increase your tax bracket.

Safety. Bonds of school and other municipal districts are legal and binding obligations of the political subdivisions which issue them. Interest is paid — usually twice a year — from taxes or revenues which are collected in the community. The record of prompt payment on municipal bonds is second only to the U.S. Government.

Steady income. When you purchase high-grade municipal bonds you know in advance the yield you will earn over a period of years on your investment. Since these bonds are available in a wide range of maturities — from one through twenty years or more, you can select one which fits your personal financial requirements.

At today's prices, tax-free municipal bonds offer attractive yields and the opportunity to increase the stability and safety of your income.

*Our study shows you how to compare "takehome" income from tax-free bonds with taxable income from other investments, according to the amount of your total income and the tax bracket you are in.

If you pay taxes on income of \$10,000 or more, you'll want to read our interesting study. We'll send it to you together with our current offerings of state and municipal bonds. Just ask for information on Tax-Exempt Bonds as advertised in California Medicine. Write or call any of our 22 California offices. Look for our trade mark in the classified section of your telephone directory under "brokers."

DEAN WITTER & Co.

Members: New York Stock Exchange • Pacific Coast Stock Exchange

45 Montgomery St., San Francisco • 632 South Spring St., Los Angeles

BERKELEY BEVERLY HILLS ENCINO EUREKA FRESNO LAGUNA BEACH LONG BEACH MODESTO OAKLAND PALO ALTO SACRAMENTO SAN BERNARDINO SAN DIEGO SAN JOSE SAN MARINO SAN MATEO SANTA ANA SANTA BARBARA SANTA MONICA SANTA ROSA STOCKTON VENTURA VISALIA

INDEX TO CALIFORNIA MEDICINE ADVERTISERS

Abbott Laboratories Ioquin 62	Eaton Laboratories Tricofuron	Professional Medical Publications Books 18
Alexander Sanitarium 64	Electronic Instrument Co. Hemoglobinometer	Raleigh Hills Hospital 24
Ames Company, Inc.		Riker Laboratories, Inc.
Decholin 57	Endo Laboratories Percodan	Lipo-HepinThird Cover Medihaler—EPI & ISO 1
Armour Pharmaceutical Co.		meanater—Bir & 150
	Flint, Eaton & Co.	Robins Company, Inc., A. H.
Thyroid 44	Ferrolip 13	Donnatal
And a Diversion of the Lordon	Synthroid54, 55	Pabalate11
Astra Pharmaceutical Products		Robaxin/DonnatalInsert 32-33
Astrafer I.V 9	Fresno Community Hospital 64	·
Ayerst Laboratories	Frozen Desserts Co.	Roche Laboratories
"Thiosulfil" Forte42, 43	Hi-Saff Imitation Ice Cream 28	Librium 30
Doub of America		Roerig & Co., J. B.
Bank of America 58	Geigy Pharmaceuticals	Allecur 75
Danton Inc. Dan	Tandearil 23	Antivert 29
Baxter, Inc., Don	Comment Theoretical CE	
Isolyte MInsert 50-51	Greens' Eye Hospital 65	Sanborn Company
	YT '4 1 Tol '	Electrocardiograph 10
Berkeley Biologicals	Hospital Planning &	Liectrocaratograph 10
Institutional 20	Engineering Co 50	Sanula & Co. C. D.
	** . ** 1 4 7 1	Searle & Co., G. D. <i>Lomotil</i> 49
Breon Laboratories, Inc.	Hunt Foods & Industries, Inc.	Lomotii 49
Lanesta Gel 74	Wesson Oil68, 69	C 11 TZ11 0 T3 1
		Smith Kline & French
Brown Pharmaceutical Company	Knoll Pharmaceutical Company	Laboratories
Geramine	Quadrinal 37	Institutional 39
Geruntine 19		
Dumonaha Wallama & Ca	Lady Lois Ice Cream 66	Squibb & Sons, E. R.
Burroughs Wellcome & Co.		Deladumone 2-X 82
'Sporin' Ointments 56	Lawton School 22	Delalutin 15
G 114 1 701 1 1 1 G 1 -		Theragran60, 61
California Physicians' Service 7	Lederle Laboratories	,
G 116 1 Gt . 5	Aristocort72, 73	Stacey's
California State Personnel		Medical and Technical Books 14
Board 20	Lilly & Co., Eli	
	Trinsicon 48	Stuart Company, Inc.
Camelback Hospital 65		Stuart Formula/Probec 41
	Loma Linda Food Company	2000.0 2 0.70000,2.0000 ==
Cardiosonics	Soyalac 40	Tidi Products
Littmann Stethoscope 46		Professional Papers 32
· · · · · · · · · · · · · · · · · · ·	Maltbie Laboratories	1 Tojessionat 1 apers 52
Classified Advertisements76, 78	Dornwal 47	Traffic Safety Committee 51
·		Traine Safety Committee 91
Coca-Cola	Mead Johnson Laboratories	Twin Pines Neuropsychiatric
	EnfamilInside Front Cover	
Compton Foundation Hospital 65	1	Sanitarium 64
-	Medical Protective Co., The 77	TT O T7:4 @
Cook County Graduate School		U. S. Vitamin &
of Medicine 36	Merck Sharp & Dohme	Pharmaceutical Corp.
	Decadron 19	Hypervitam Spheres 26
Cutter Laboratories		
Adult Dip-TetBack Cover	Morris Plan Company of	Wallace Laboratories
name Dip-1 etBack Oover	California, The 46	Deprol80, 81
Desitin Chemical Co.		Meprospan 21
	Parke, Davis & Company	Miltown 45
Desitin Suppositories 31	Benadryl16, 17	Soma34, 35
D	•	
Devereux Foundation, The 36	Pharmaceutical Industries, Inc.	Westwood Pharmaceuticals
	Polymul 59	Fostex/Fostril 27
Directory: Hospitals,	-	
Sanitariums, Rest Homes64, 65	Philips Roxane, Inc.	Winthrop Laboratories
	Institutional 53	pHisoHex/Ac
Doctors Business Bureau 32		Trancoprin25
	Physicians Casualty & Health	
Drug Specialties, Inc.	Associations 66	Witter & Co., Dean
Nicozol Compound 7	1100016010110	Financial 3
	Pitman-Moore Co.	_ ········ · · · · · · · · · · · · · ·
East Bay Rehabilitation Center 52	Novahistine	Woodside Acres Hospital 64
Base Day Menaumtation Center 32	1400010000100	11 COURTED TEOLOG TEORPINAT 03

when the need for iron is acute...


in iect.

TRAFFEE

(Stand of dextriferron)

indexemonially

distribution descripte.



It's easy to take the Sanborn "300 Visette®" along on your house calls because it is compact and weighs only 18 pounds, in-

cluding all accessories. Modern electronics—transistors and printed circuits—make it rugged to withstand the wear and tear on a portable instrument. Yet even with such durability and compactness, there has been no sacrifice in accuracy, dependability, and performance.

In addition to the portable model, Sanborn also offers the "100 Viso", a handsome desk-top ECG with two speeds, three recording sensitivities and provision for

recording and monitoring other phenomena. Its mobile counterpart, the "100M Viso", is easily rolled to the patient's bedside in

hospitals and clinics.

Ask your Sanborn Branch Office or Service Agency for complete information on the no-obligation 15-day trial period and convenient time payments. Medical Division, SANBORN COMPANY, 175 Wyman St., Waltham 54, Mass.

Sanborn service lasts long after the sale . . . from people who *know* your ECG and value *your* satisfaction.

GLENDALE Branch Office 203 So. Verdugo Rd., Chapman 5-6761 and 5-6762 SAN FRANCISCO Branch Office 2310 Irving St., Lombard 4-1900 SAN DIEGO Resident Representative 2800 University Ave., Cypress 6-4735



once again, an active hand in "doing"-

mutually potentiating nonsteroid antirheumatics

"superior to aspirin" and with a "higher 'therapeutic index"

When sodium should be avoided—

PABALATE-SODIUM FREE

When conservative steroid therapy is indicated—

PABALAT

Pabalate with Hydrocortisone

1. Barden, F. W., et al.: J. Maine M. A. 46:99, 1955. 2. Ford, R.A., and Blanchard, K.: Journal-Lancet 78:185, 1958.

In each pink enteric-coated PABALATE-SODIUM FREE tablet:

Sodium salicylate (5 gr.)
0.3 Gm. Sodium para-aminobenzoate

Ascorbic acid.....50.0 mg.

(5 gr.) 0.3 Gm.

Same formula as PABALATE, with sodium salts replaced by potassium salts.

In each light blue enteric-coated PABALATE-HC tablet:

Same formula as PABALATE-SODIUM FREE, plus hydrocortisone (alcohol) . . . 2.5 mg.

Making today's medicines with integrity . . . seeking tomorrow's with hereistence

A. H. ROBINS COMPANY, INC., RICHMOND 20, VIRGINIA

FLINT, Eaton & Company DIVISION OF BAXTER LABORATORIES, INC. MORTON GROVE, ILL.

DIVISION OF BAXTER LABORATORIES, INC. MORTON GROVE, ILL.

COMPOSITION: One FERROLIP Tablet supplies 333 mg. of FERROLIP (iron choline citrate chelate), equivalent to 40 mg. of elemental iron. One teaspoonful (5 ml.) of FERROLIP, equivalent to 50 mg. elemental iron. One teaspoonful (5 ml.) of FERROLIP 20 mg. Syrup contains 417 mg. of FERROLIP, equivalent to 20 mg. elemental iron. Each ml. of FERROLIP, equivalent to 20 mg. elemental iron in a pleasantly flavored, nonalcoholic, sorbitol vehicle.

ACTION AND USES: For treatment of iron-deficiency anemias. The iron in FERROLIP is held as a chelate complex similar to the way iron is held in the hemoglobin molecule. As a result, unlike freely dissociated iron salts. FERROLIP does not release high concentrations of free ionic iron which have been reported to cause G.I. distress. And the iron stays in solution throughout the pH range of the G.I. tract for greater absorption and utilization. FERROLIP is tolerated by patients who can't lolerate any other iron preparation. It can even be given on an empty stomach. FERROLIP is also much safer to give as there is no mass telease of free iron into the serum with subsequent tisk of toxic elevations. The iron is released at a physiologic rate. Thus, an excellent therapeutic response can be achieved with greater safety and with few, if any, side effects.

ADMINISTRATION AND DOSAGE: Adults: 1 to 2 FERROLIP tablets or 1 to 2 teaspoonfuls of FERROLIP 20 mg. Syrup t.i.d. Pediatric Drops: 0.5 cc. (9 drops) supplies 1.5-2.5 M.D.R. for prophylaxis in infants and children up to 6 years; therapeutic dose; multiples of 1 cc. (18 drops—25 mg.) as determined by physician.

HOW SUPPLIED: FERROLIP Tablets: bottles of 100 and 1000. FERROLIP is the sesential B vitamins including Bi; vitamins choulding Bi; vitamins A and D; and vitamin combines ferrocholinate; calcium salts; the essential B vitamins including Bi; vitamins A and D; a

LITERATURE: ON REQUEST

YOUR P.D.R.* **GIVES YOU** 6 GOOD REASONS TO PRESCRIBE **FERROLIP® ORAL IRON**

1. FERROLIP is Chelated: a process that binds iron in a chelate complex. Iron is released at a rate the body can handle, not in large amounts that irritate the gastric mucosa. 2. FERROLIP is not astringent—does not precipitate protein—is soluble in both acid and alkaline media. 3. FERROLIP remains in solution throughout the pH range of the G.I. tract, permitting maximum utilization and absorption. 4. FERROLIP is so well tolerated it can be given to any patient (even to patients with peptic ulcer). 5. FERROLIP is safer to give—safer to keep in the home because chelated iron is essentially nontoxic. 6. FERROLIP produces an excellent hematological response.1

*This listing prepared by FLINT, Eaton & Company for Physician's Desk Reference. 1. Franklin, M., et al.: JAMA 166:1685, 1958.

FERROLIP

FLINT, Eaton & Company DIVISION OF BAXTER LABORATORIES, INC. MORTON GROVE, ILL.


longer-acting, fewer injections for fetal salvage with no androgenic effect



Delalutin offers these advantages over other progestational agents: Significantly improved rate of fetal salvage¹-³ ■ No virilizing effect on female fetus or mother ■ High, sustained hormonal level in the uterine muscle and mucosa⁴— high enough even to replace an excised corpus luteum⁵ ■ Absence of local tissue reactions³.

Hydroxyprogesterone Caproate (Delalutin) Clauberg Response Days following injection





in severe pollen sensitivity... rapid relief and control of symptoms on short-term therapy with Decadron®



Short-term treatment with DECAGRON brought "...immediate complete suppression of symptoms" in 56 patients who had not responded fully to ragweed emulsion. "In no patients... were there any immediate or delayed signs of hypercorticism... no side reactions or untoward effects of any definition or type." Therapeutic doses of steroids may help prevent recurrences of severe allergic states, without interfering with desensitization or other immunity procedures.²

Define prescribing or administering Decamen, the physicise should consult the detailed information on use accompanying the package or available on request

References: 1. Brown, E. A.: Authlistic Med. & Clin. Ther. 6:412, 1959. 2. Felidierg, S. M.: Med. Sci. 6:(No. 3)181, 1959.

Supplied: As 0.75 mg. and 0.5 mg. scored, pentagen-shaped tablets in battles of 100 and 1000. As lejection DECAMON Phesphate in 5 cc. vials, each cc. containing 4 mg. of dexamethasene 21-phosphate a the disadium salt; inactive ingredients: 8 mg. creatinine, 10 mg. sodium citrate; sodium hydroxide to pH 7.8, and weter for injection q.s. 1 cc.; preservetives: 0.32 per cent sodium hisulfite and 0.5 per cent phesel; DECAMON is a trademark of Merck & Co., inc.

MERCK SHARP & DONME

Brikles of Morck & Co., Inc., West Paint, Pa.



time	amount	administration		
1st day	one to two cc. (4 to 8 mg.) Injection DECADRON Phosphate intramuscular	repeated as necessary (In substituting tablet therapy, give the first oral dose four or five hours before the final parenteral dose.)		
2nd day	two 0.75 mg. Tablets DECADRON	b.i.d.		
3rd day	two 0.75 mg. Tablets DECADRON	b.i.d.		
4th day	one 0.75 mg. Tablet DECADRON	b.i.d.		
5th day	one 0.75 mg. Tablet DECADRON	per day		
6th day	one 0.75 mg. Tablet DECADRON	per day ,		
7th day	RETURN VISIT			



the only sustained-release tranquilizer that does not cause autonomic side reactions

- SAFE, CONTINUOUS RELIEF of anxiety and tension for 12 hours with just one capsule—without causing autonomic side reactions and without impairing mental acuity, motor control or normal behavior.
- ECONOMICAL for the patient daily cost is only a dime or so more than for barbiturates.

Meprospan-400

400 mg. meprobamate (Miltown®) sustained-release capsules

Usual dosage: One capsule at breakfast lasts all day; one capsule with evening meal lasts all night.


Available: Meprospan-400, each blue-topped capsule contains 400 mg. Miltown (meprobamate).

Meprospan-200, each yellow-topped capsule contains 200 mg. Miltown (meprobamate). Both potencies in bottles of 30.

WALLACE LABORATORIES/Cranbury, N. J.

new Tandearil

Geigy



a new development in nonhormonal, anti-inflammatory therapy

more specific than steroids-

Acts directly on the inflammatory lesion without altering pituitary-adrenal function . . . without impairing immunity responses.^{8,11}

more dependable than enzymes-


Rapid and complete absorption, without the uncertainty of oral or buccal enzyme therapy.8

more potent than salicylates—

Anti-inflammatory potency of Tandearil markedly superior to aspirin. 12

Remarkably useful in a wide variety of inflammatory conditions, including: rheumatoid arthritis, spondylitis, osteoarthritis^{1,2,3}; gout^{1,4,5}; acute superficial thrombophlebitis^{6,7}; painful shoulder (peritendinitis, capsulitis, bursitis, and acute arthritis of that joint)^{1,4}; severe forms of a variety of local inflammatory conditions^{8,9,10}.

Tandearil is chemically an analog of phenylbutazone and also one of its metabolites. The physician should be thoroughly familiar with the indications, dosage, side effects, precautions and contraindications of Tandearil before prescribing. Full product information available on request.



For a better way to treat headache, prescribe **Trancoprin**®

How Trancoprin relieves pain: Because most pain is accompanied by muscle spasm and tension, good medical practice suggests use of an analgesic that will relax skeletal muscles as well as dim pain perception. Such an analgesic is Trancoprin — a combination of aspirin and Trancopal[®], a proved, safe, skeletal muscle relaxant and tranquilizer. Trancoprin can be prescribed for any pain, except pain of such severity that a narcotic is needed.

Dosage: Adults, 2 tablets three or four times daily; children (5 to 12 years), 1 tablet three or four times daily. Each tablet contains 300 mg. of aspirin and 50 mg. of Trancopal (brand of chlormezanone). Bottles of 100 tablets.



patients don't complain:

"Doctor, these vitamins keep coming up on me"

therapeutic multiple vitamins for use in surgery • convalescence • diabetic and other restricted diets geriatric patients • cardiac patients

no after taste: special processing eliminates regurgitation, repeating, fish taste or odor.

an abundance of essential vitamins of standardized quality:

better absorption and utilization of vitamins A. D. and E because they are "aqualized."


low cost to patients: less than five cents per daily dose (one Hypervitam sphere).

you are the doctor: Hypervitam is promoted only to the profession. Control of vitamin therapy is in your hands, as it should be.


supplied: Bottles of 50 Hypervitam spheres.

"... good nutrition is important for optimal resistance to infection... superior tissue capability to cope with disease and injury, and for maximum antibody production." Halpern S. L. Ann. N. Y. Acad. Sci. 63:147, 1955.

Eac	h Hypervita	m Sphere			
Vitamin A* .			. 25,000	U.S.P. UI	rits
Ascerbie Acid	(C)			250	mg.
Thiamine Mon		a		. 25	71.0
Ribotlavin (Ba				. 15	20000000
Pyridoxine HC		•			mg.
	1 (06)				
Vitamin Bia				. 5 m	****
Nizcinamide				. 751	8300.000
d, Calcium Pa	ntothenate			. 151	me.
Vitamin D1 .			1,000	U.S.P. U	nits.
Vitamin E* ,				5 Int. U	nts



26 CALIFORNIA MEDICINE



Fostex treats pimples-blackheads-acne while they wash

degreases the skin helps remove blackheads dries and peels the skin

Patients like Fostex because it's so easy to use. Instead of using soap, they simply wash acne skin with Fostex Cream or Fostex Cake 2 to 4 times daily.

Fostex contains: Sebulytic® base (unique, penetrating, surface-active combination of soapless cleansers and wetting agents®) with remarkable antiseborrheic, keratolytic and antibacterial actions . . . enhanced by micropulverized sulfur 2%, salicylic acid 2% and hexachlorophene 1%.

*sodium lauryi sulfoacetate, sodium alkyl aryl polyether sulfonate and sodium dioctyl sulfosuccinate.

Fostex Cream and Fostex Cake are interchangeable for therapeutic washing of the skin. Fostex Cream is approximately twice as drying as Fostex Cake. Supplied: Fostex Cake—bar form. Fostex Cream—4.5 oz. jars. Also used as a therapeutic shampoo in dandruff and oily scalp.

And...since continuous 24-hour drying and peeling of acne skin is essential, FOSTRIL (a new, flesh-tinted drying lotion) should be used once or twice daily in addition to Fostex therapeutic washings. Fostril® contains Liposec® (polyoxyethylene lauryl ether), a new, surface-active drying agent used for the first time in acne treatment. This agent, with 2% micropulverized sulfur and a zinc oxide, talc and bentonite base, provides Fostril with excellent drying properties. Fostril also contains 1% hexachlorophene. Available: Fostril, 1½ oz. tubes. Fostril-HC (½% hydrocortisone) 25 gm. tubes.

WESTWOOD PHARMACEUTICALS

Buffalo 13, New York



For patients with elevated serum cholesterol levels you may now consider a delicious new kind of frozen dessert which: 1) is made with poly-unsaturated, non-hydrogenated safflower oil; 2) contains a high percentage of essential linoleic acid; and 3) meets budgetary requirements of patients.


Moreover, the high content of poly-unsaturated fatty acids in safflower oil has important nutritional implications. Hi-Saff also contains milk proteins, lecithin, and honey, and is vitamin enriched. Thus, it is a dessert with wholesome appeal for persons of all ages—and particularly for geriatric patients. Try a sample yourself!

HI-SAFF IMITATION ICE CREAM

Made with poly-unsaturated, non-hydrogenated safflower oil, Avail-able in leading food markets.




For certificates good for PINT SAMPLES, as well as a bibliography pertinent to fat metabolism, write to Frozen Desserts Co., 6659 Santa Monica Blvd., Los Angeles 38, California. HOllywood 4-8271.





vertigo is reversible




Antivert stops vertigo

moderate to complete relief of symptoms in 9 out of 10 patients¹

Prescribe one ANTIVERT tablet (or 1-2 teaspoonfuls ANTIVERT syrup) 3 times daily, before each meal, for prompt relief of vertigo, Meniere's syndrome and allied disorders. Side effects are short-lived, usually only harmless flushing and tingling associated with vasodilation. As with all vasodilators, ANTIVERT is contraindicated in severe hypotension and hemorrhage.

Supplied: Small blue-and-white scored tablets (meclizine HCl 12.5 mg. and nicotinic acid 50 mg.) in bottles of 100. Syrup (each 5 cc. teaspoonful contains meclizine HCl 6.25 mg. and nicotinic acid 25 mg.) in pint bottles. Prescription only. Bibliography available on request.

Reference: 1. Scal, J. C.: Eye Ear Nose & Throat Month. 38:738 (Sept.) 1959.



THESE 600,000 PEOPLE IN CALIFORNIA NEED MEDICAL HELP

Heart disease, cancer, mental illness — everyone knows the nation's three major medical problems. Do you know that alcoholism ranks fourth? In the state of California there are at least 600,000 alcoholics. These people need medical help. No one is in a better position to initiate and supervise a program of rehabilitation than the physician who enjoys the confidence of the patient or the patient's family.

ONE FOR THE ROAD BACK: AN IMPORTANT AID IN THE TREATMENT REHABILITATION OF THE PROBLEM DRINKER

During and after an acute alcoholic episode, Librium relieves anxiety, agitation and hyperactivity, induces restful sleep, stimulates appetite and helps to control withdrawal symptoms. The complications of chronic alcoholism, including hallucinations and delirium tremens, can often be alleviated with Librium.

During the rehabilitation period, Librium makes the patient more accessible, strengthening the physicianpatient relationship. Librium therapy helps to reduce the patient's need for alcohol by affording a constructive approach to his underlying personality disorders.

Consult literature and dosage information, available on request, before prescribing.

Packaging: Capsules, 5 mg, green and yellow-bottles of 50 and 500; 10 mg, green and black-bottles of 50 and 500; 25 mg, green and white-bottles of 50, 500 and 5000.

Consult literature and dosage information, available on request, before prescribing.



LIBRIUM® Hydrochloride -7-chloro-2-methylamino-ROCHE 5-phenyl-3H-1,4-benzodiazepine 4-oxide hydrochloride

LABORATORIES Division of Hoffmann-La Roche Inc.



for Samples and literature write...

DESITIN CHEMICAL COMPANY

812 Branch Avenue, Providence 4, R. I.



relax painful skeletal muscle spasm with

<u>INJECTABLE</u> Methocarbamol 'Robins' U.S. Pat. No. 2770649

WITHOUT DROWSINESS assure continued relaxation with

Methocarbamol 'Robins' TABLETS

Published studies show ROBAXIN Injectable and ROBAXIN Tablets beneficial in 90% of cases tested.

Literature available to physicians on request.

SUPPLY: ROBAXIN Tablets, 0.5 Gm. (white, scored) in bottles of 50 and 500. ROBAXIN Injectable, each ampul containing 1.0 Gm. of methocarbamol in 10 cc. of sterile solution.

A. H. ROBINS CO., INC., Richmond 20, Virginia Making today's medicines with integrity . . . seeking tomorrow's with persistence



leads to visceral distress...

restore normal smooth muscle function through dependable autonomic sedation

The uniformly dependable antispasmodic-sedative action of DONNATAL relieves hypermotility, hypertonicity and spasticity of smooth muscle at all levels of the gastrointestinal tract: pharynx, esophagus, stomach, small intestine and large intestine.

Donnatal incorporates natural belladonna alkaloids in optimal synergistic ratio, supplemented by phenobarbital in low dosage, for concurrent control of both somatogenic and psychogenic factors.

For dosage flexibility-

TABLETS CAPSULES Antispasmodic maintenance under a t.i.d. dosage regimen

For prolonged effects-

EXTENTABS®

All-day or all-night spasmolytic benefits on a single dose, equal to the effect of one DONNATAL tablet uniformly sustained for 10 to 12 hours.

In each Tablet, In each Capsule, or 5 cc. Elixir Extentab Hyoscyamine sulfate 0.1037 mg. 0.3111 mg. Atropine sulfate 0.0194 mg. 0.0582 mg. Hyoscine hydrobromide 0.0065 mg. 0.0195 mg. **Phenobarbital** (1/4 gr.) 16.2 mg. (3/4 gr.) 48.6 mg.




natural belladonna alkaloids with phenobarbital

Prescribed by more physicians than any other antispasmodic

RICHMOND 20, VIRGINIA

Making today's medicines with integrity... seeking tomorrow's with persistence



Put your low-back patient back on the payroll

Soma's prompt relief of pain and stiffness can get your low-back patients back to work in days instead of weeks

Soma is unique because it combines the properties of an effective muscle relaxant and an independent analgesic in a single drug. Unlike most other muscle relaxants, which can only relax muscle tension, Soma attacks both phases of the pain-spasm cycle at the same time.

Thus with Soma, you can break up both

pain and spasm fast, effectively...help give your patient the two things he wants most: relief from pain and rapid return to full activity.

Soma is notably safe. Side effects are rare. Drowsiness may occur, but usually only with higher dosages. Soma is available in 350 mg. tablets. Usual dosage is 1 tablet q.i.d.

The muscle relaxant with an independent pain-relieving action



(carisoprodol, Wallace)

Wallace Laboratories, Cranbury, New Jersey



Quadrinal

a rapid way to clear the airway

- stops wheezing
- Increases cough effectiveness
- relieves spasm

In chronic disorders associated with obstructed respiration, the dependable antispasmodic and expectorant action of Quadrinal rapidly clears the bronchial tree. Patients breathernore easily and acute episodes of bronchospasm are often eliminated. Quadrinal is well tolerated, even on prolonged administration. The potassium indide in Quadrinal provides an expectorant of time tested effectiveness and safety.

Indications: Bronchial asthms, chronic bronchitis pulmonary fibrosis, pulmonary emphysema.

Quadrinal Tablets, containing epigerine HCX(24 mg), phenosorista (24 mg), "Payttich" (theoptylaine calcrum selection (1.5 mg), sor neters to mainly (1.5 mg).

Also éval able

vaew. Ouadrinal dosage form with taste-appeal (or all age groups rolu-flavored GUADRHIAL SUBPENSION (Crteaspoodro) -> 17% Gradrinal Zableto

TNOEL PHÁNHAGEUTICAL COMPANY, ORANGE, NÉW JERSEN




After 10 weeks of therapy— a clear skin, a new personality, a new world of fun and laughter

pHisoHex, used as a daily, exclusive wash, enhances any treatment for acne. Because it contains 3 per cent hexachlorophene, it supplies continuous antibacterial action to help combat the infection factor. pHisoHex cleanses better than soap because it is 40 per cent more surface-active. Used together, pHisoHex and new keratolytic pHisoAc Cream provide basic complementary topical therapy for patients with acne-to unplug follicles and to help prevent comedones, pustules and scarring. New pHisoAc Cream dries, peels and helps degerm the skin; flesh-toned, it tends to hide acne lesions as they heal. pHisoHex, in unbreakable squeeze bottles of 5 oz. and NEW plastic bottles of 1 pint; pHisoAc in 11/2 oz. tubes. pHisoHex and pHisoAc, trademarks reg. U.S. Pat. Off.

Winthrop LABORATORIES New York 18, N.Y.

For Acne-PHISOHEX® and antibacterial, nonalkaline, nonirritating, hypoallergenic detergent

CLINICAL PHOTOGRAPHS



Acne vulgaris before treatment

For treatment at home, this patient washed her face daily with pHisoHex and kept pHisoAc on her face twenty-four hours a day.


Nine office treatments consisted of mechanical removal of blackheads and applications of carbon dioxide slush. No other medication was given.



After 10 weeks of therapy

pHISOAC® Cream

(Coloidal sulfur 6 per cent, resorcinal 1.5 per cent, and hexachlorophene 0.3 per cent)



drugs anonymous

One of the several hastily conceived and potentially dangerous suggestions for reducing drug costs is generic-name prescribing. The proponents of generic-name prescribing claim that it will lower drug costs significantly and—through supervision by the Federal Government—provide quality equivalent to that of trademarked drugs. We maintain that these claims are false. Here are some authoritative answers to the principal questions posed by generic-name prescribing.

How much money would be saved if all prescriptions were written for generic-name drugs?

"The [Rhode Island] Division of Public Assistance examined 10,000 drug prescriptions for welfare recipients for the purpose of determining the actual savings . . . of generic versus trade-name drugs. The drugs had cost \$28,000. Substituting generic drugs whenever possible would have provided a saving of less than 5 per cent. Syracuse has made a similar study of drug costs with comparable results."

Rhode Island Medical Journal, January, 1961

Are the savings worth the risk of sacrificing quality?

"... it is unsafe [to prescribe generically] because there is not sufficient policing of our standards...."

Lloyd C. Miller, Ph. D. Director of Revision of the U.S.P.

"The naive belief that, if a product was not good, the FDA would prohibit its sale is just not realistic. . . . it is completely impossible for the FDA to check every batch of every product of every manufacturer. . . . Hence the integrity and reputation of the manufacturer assume unusual significance where drugs and health products are concerned."

Albert H. Holland, M.D. formerly Medical Director of the Food and Drug Administration

Smith Kline & French Laboratories, Philadelphia





They made mine SOLUTE Fibre-free HYPOALLERGENIC

- formula

 Provides balanced nutritional values.
- An excellent formula for regular infant feeding.
- An ideal food for milk allergies, eczema and problem feeding.

SOYALAC helps solve the feeding problem of prematures and infants requiring milk-free diet.

Strikingly similar to mother's milk in composition and ease of assimilation, babies thrive on SOYALAC.

Clinical data furnish evidence of SOYALAC'S value in promoting growth and development.

Protein of high biologic value is obtained from the soybean by an exclusive process.

Free Booklet and Samples

A request on your professional letterhead or prescription form will bring to you complete information, and a supply of samples.

Medical Products Division

LOMA LINDA FOOD COMPANY

ARLINGTON, CALIFORNIA . MT. VERNON, OHIO



STUART FORMULA: Multivitamins and minerals in bottles of 100, 250, 500 and 1000 tablets...also STUART FORMULA LIQUID in Pints



MPLETE CED-CO



Also Probec, the truly therapeutic B complex with high potency vitamin C in a small tablet. Bottles of 50, 100 and 500

The

Stuart

Company

PASADENA, CALIFORNIA



STUART FORMULA LIQUIDA

Vitamins: Contents per tablespoonful:
(15 cc.) A – 10,000 USP Units; D – 1,000
USP Units; E – 0.3 I.U.; Cempiete
Vitamin B Cempiex: B₁ – 4 mg.; B₂ – 4
mg.; B₄ – 0.2 mg.; Niacin and Niacinamide – 30 mg.; d-Panthenol – 4.3 mg.;
Malt – Supplies additional natural
B Complex factors. Minerals: Iron –
15 mg.; lodine – 0.15 mg.;
Manganese – 1 mg.

STUART FORMULA® (TABLETS)

STUART FORMULA® (TABLETS)
One tablet contains: Vitamins: A - 5,000
USP Units; D - 500 USP Units: C - 50
Mg.; B₁ - 2.5 mg.; B₂ - 2.5 mg.; B₃ - 0.5
mg.; B₁ as lonex.12° - 1 mg.; Nicolain and Nicolamide - 15 mg.; d-Calcium
Pantothenate - 5 mg.; E - 0.15 U. I. Yeast
and desiccated liver are added as sources of natural vitamin B Complex factors. "Stuart's absorption-enhancing complex of vitamin B₁, (B₁, from cobalamin). Minerals: Calcium - 100 mg.; Copper - 0.375 mg.; lodine - 0.075 mg.; Iron - 7.5 mg.; Magnesium - 2.5 mg.; Zinc - 0.15 mg.

PROBECO

One tablet contains: Vitamins: C-250 mg.; B₁-15 mg.; B₂-10 mg.; B₄-5 mg.; B₁-2 mg.; B₄-5 mg.; B₁-3 s lonex-12*-3 mg.; Nlacinamide -50 mg.; d-Calcium Pantothenate-10 mg. Desiccated liver is added to this product as a source of natural vitamin B Complex factors. *Stuart's absorptionenhancing complex of vitamin B₁ (B₁₂ from cobalamin).



THERAPEUTIC INDEX

"Thiosulfil" Forte 0.5 Gm.

BRAND OF SULFAMETHIZOLE

"THIOSULFIL" has been found effective against the following urinary pathogens: Proteus vulgaris, Pseudomonas aeruginosa, Escherichia coli, Streptococcus fecalis, Escherichia intermedium, and Aerobacter aerogenes. In individual cases, sensitivity of the organisms may vary. Sensitivity tests, preferably by the tube dilution method, should be done first, for guidance as to alternate therapy in case "THIOSULFIL" FORTE does not control the infection.

INDICATIONS: Treatment of cystitis, urethritis, pyelitis, pyelonephritis, and prostatitis due to bacterial infection amenable to sulfonamide therapy; prior to and following genitourinary surgery and instrumentation; prophylactically, in patients with indwelling catheters, ureterostomies, urinary stasis, and cord bladders.

SUGGESTED RANGE OF DOSAGE: Adults: 1 or 2 tablets (0.5 Gm.-1.0 Gm.) three or four times daily.

WARNING: Due to the high solubility in body fluids of "THIOSULFIL" and its acetyl form, the hazards of renal tubule obstruction are minimized. The usual precautions exercised with sulfa drugs generally should, however, be observed. In those rare instances where exanthemata, urticaria, nausea, emesis, fever or hematuria, are encountered, administration should be discontinued.

CONTRAINDICATION: A history of sulfonamide sensitivity.

SUPPLIED: NO. 786 —"THIOSULFIL" FORTE — Each tablet contains sulfamethizole 0.5 Gm. (scored), in bottles of 100 and 1,000.

ALSO AVAILABLE — No. 785: "THIOSULFIL" — Each tablet contains sulfamethizole 0.25 Gm. (scored), in bottles of 100 and 1,000. No. 914—"THIOSULFIL" Suspension—Each 5 cc. (teaspoonful) contains sulfamethizole 0.25 Gm., in bottles of 4 and 16 fluidounces.

SUGGESTED DOSAGES: Infants and children: The dosage is scheduled on an average basis of 1/2 to 3/4 gr. (30 to 45 mg.) per pound of body weight per day in divided doses. Maximum dosage up to 50 lbs., 1/2 teaspoonful q.i.d. Maximum dosage from 50 to 75 lbs., 1 teaspoonful q.i.d.

WHEN ANALGESIA IS DESIRED

"THIOSULFIL"-A FORTE NO. 783:


Each tablet contains sulfamethizole 0.5 Gm., and phenylazo-diamino-pyridine HCl 50.0 mg., in bottles of 100 and 1,000.

CONTRAINDICATIONS: (1) a history of sulfonamide sensitivity and (2) due to the phenylazo-diamino-pyridine HCl component, renal and hepatic failure, glomerulonephritis, and pyelonephritis of pregnancy with gastrointestinal disturbances.

USUAL DOSAGE: Adults: 2 tablets, four times daily. Children (9 to 12 years): 1 tablet, four times daily.

ALSO AVAILABLE: **NO. 784** "THIOSULFIL"—A — Each tablet contains sulfamethizole 0.25 Gm., and phenylazo-diamino-pyridine HCl 50.0 mg., in bottles of 100 and 1,000. USUAL DOSAGE: **Adults:** 2 tablets, four times daily. **Children** (9 to 12 years): 1 tablet, four times daily.

For references, see opposite page.



SAFELY MANAGES ALL EPISODES OF URINARY TRACT INFECTION

"Thiosulfil" Fo

THE ONE SULFONAMIDE THAT OFFERS

- Maximum urinary concentration of active, free sulfa at site of infection
- **■** Rapid clearance (noncumulative)
- Rare incidence of side effects
- **■** High degree of clinical effectiveness

"Thiosulfil" dosage schedules reported in the literature.



INITIAL EPISODE (Acute Infection) 3 Gm./day1

Based on 7 years' clinical experience in treating 3,057 cases of upper and lower urinary tract infection, Bourque¹ found 3 Gm./day for 2 weeks (the average dosage employed in 97 per cent of patients) effective in most cases.



RECURRING

CONTINUING

RECURRING EPISODE (Flare-up) 3 Gm./day1

Same dosage as above. When longer therapy is required as in cases where there is stasis due to obstruction, administration may be continued at a lower dosage range.

CONTINUING EPISODE (Stasis/Obstruction) 2 Gm./day^{2, 3} 0.5 Gm./day⁴


Where infection remains latent due to causes which cannot be eliminated as in paraplegia, patients have been maintained symptom-free on dosage regimens ranging from 2 Gm. to 0.5 Gm./day. After initial control of acute symptoms, therapy may be continued indefinitely on a low dosage basis to guard against recurrence and prevent ascending infection. Many cases can be controlled with as little as 0.5 Gm./day.

SUPPLIED: No. 786 — "Thiosulfil" Forte — Each tablet contains sulfamethizole 0.5 Gm. (scored), in bottles of 100 and 1,000.

ALSO AVAILABLE—In urinary tract infection—to alleviate pain and control the infection: No. 783—"THIOSULFIL"®-A FORTE combines the sulfonamide specific for urinary tract infection with a potent analgesic for prompt, soothing relief of local discomfort. Each tablet contains sulfamethizole 0.5 Gm. and phenylazo-diamino-pyridine HCl 50 mg., in bottles of 100 and 1,000 tablets.

References: 1. Bourque, J.-P., and Gauthier, G-E.: L'Union Medicale 89:640 (May) 1960. 2. Cottell, T. L. C., Rolnick, D., and Lloyd, F. A.: Rocky Mountain M. J. 56:66 (Mar.) 1959. 3. Bourque, J.-P., and Joyal, J.: Canad. M.A.J. 68:337 (Apr.) 1953. 4. Hughes, J., Coppridge, W. M., and Roberts, L. C.: North Carolina M. J. 17:320 (July) 1956.





Clinically Proven

in more than 750 published clinical studies and over six years of clinical use

Outstandingly Safe and Effective



for the tense and nervous patient

- 1 simple dosage schedule relieves anxiety dependably without the unknown dangers of "new and different" drugs
- 2 does not produce ataxia, stimulate the appetite or alter sexual function
- 3 no cumulative effects in long-term therapy
- 4 does not produce depression, Parkinson-like symptoms, jaundice or agranulocytosis
- 5 does not muddle the mind or affect normal behavior

Usual dosage: One or two 400 mg. tablets t.i.d.


Supplied: 400 mg. scored tablets, 200 mg. sugar-coated tablets; bottles of 50. Also as MEPROTABS*—400 mg. unmarked, coated tablets; and in sustained-release capsules as MEPROSPAN®-400 and MEPROSPAN®-200 (containing respectively 400 mg. and 200 mg. meprobamate).



*WALLACE LABORATORIES / Cranbury, N. J.

CM-4728

AVAILABLE NOW INCREASED POTENCY GREATER ECONOMY



impressively effective against tension headache*

Dornwal 400 relaxes the musculature of the head and neck involved in tension headache and by doing so breaks the vicious cycle between psychological tension and muscular tension. Dornwal 400 also relieves anxiety and tension states quickly and effectively, usually without sedation or drowsiness. It is particularly suited to the active patient because it is relatively free from side effects such as depression and depersonalization. Some patients are relieved of their symptoms in as little as half an hour.

Dornwal 200 (amphenidone, 200 mg.), for similar conditions where lower dosage levels are adequate. Dornwal 100 (amphenidone, 100 mg.) is effective in the treatment of emotionally disturbed children.


Supplied: <u>Dornwal 400</u>—400 mg. green scored tablets. <u>Dornwal 200</u>—200 mg. yellow scored tablets. <u>Dornwal 100</u> (Pediatric)—100 mg. pink tablets. Bottles of 100 and 500.



*Dixon, H. H.; Dickel, H. A., and Dixon, H. H., Jr.: "Clinical and Electromyographic Appraisal of Aminophenylpyridone," Northwest Med. <u>60</u>:277 (March) 1961.









■ See both blood picture and patient respond to

TRINSICON°

(hematinic concentrate with intrinsic factor, Lilly)

For a rapid hematological response
... striking clinical improvement

Two Pulvules® Trinsicon daily are capable of producing in ten days an Hb and RBC response comparable to that obtained after a transfusion of one pint of whole blood. For potent, complete anemia therapy, prescribe Trinsicon...just 2 a day for all treatable anemias.

Two Pulvules Trinsicon (daily dose) provide:

Special Liver-Stomach Concentrate, Lilly (containing Intrinsic Factor) 300 mg. Vitamin B₁₂ with Intrinsic Factor

Concentrate, N.F. 1 N.F. unit (oral)

Ferrous Sulfate, Anhydrous 600 mg. (Equal to over 1 Gm. Ferrous Sulfate, U.S.P.)

Ascorbic Acid (Vitamin C) 150 mg.

Folic Acid 2 mg.

11900

ANNUAL MEETING

Fairmont Hotel SAN FRANCISCO

April 15-18, 1962

Papers for Presentation

If you have a paper that you would like to have considered for presentation, it should be submitted to the appropriate section secretary (see list on this page) no later than November 1, 1961.

Scientific Exhibits

Space is available for scientific exhibits. If you would like to present an exhibit, please write immediately to the office of the California Medical Association, 693 Sutter Street, San Francisco 2, for application forms. To be given consideration by the Committee on Scientific Work, the forms, completely filled out, must be in the office of the California Medical Association no later than November 1, 1961. (No exhibit shown in 1961, and no individual who had an exhibit at the 1961 session, will be eligible until 1963.)

Medical Motion Pictures

The Film Symposiums which attracted excellent attendance in 1961 will be continued in 1962.

Authors desiring to show films should send their applications to Motion Picture Division, C.M.A., 693 Sutter Street, San Francisco 2. All authors are urged to be present at the time of showing as there will be time allotted for discussion and questions from the audience after each film.

Deadline: December 1, 1961.

PLANNING MAKES PERFECT AN EARLY START HELPS

SECRETARIES OF SCIENTIFIC SECTIONS

ALLERGY Jerome J. Sievers 4835 Van Nuys Boulevard, Sherman Oaks
ANESTHESIOLOGY Grant Fletcher P. O. Box 569, Monterey
DERMATOLOGY AND SYPHILOLOGY David R. Taylor 1237 R Street, Fresno 21
EAR, NOSE AND THROAT Henry L. Harris 3875 Wilshire Boulevard, Los Angeles 5
EYE Richard A. Westsmith 12 North El Camino Real, San Mateo
GENERAL PRACTICE A. Norton Donaldson 321 West Washington Avenue, Santa Ana
GENERAL SURGERY R. Bruce Henley 400 Twenty-Ninth Street, Oakland 9
INDUSTRIAL MEDICINE AND SURGERY . Peter L. Hoffman 3533 West Pico Boulevard, Los Angeles 19
INTERNAL MEDICINE Glenn A. Pope 2600 Capitol Avenue, Sacramento 16
OBSTETRICS AND GYNECOLOGY . Kenneth F. Morgan, Jr. 2010 Wilshire Boulevard, Los Angeles 57
ORTHOPEDICS Albert H. Rodi 2010 Wilshire Boulevard, Los Angeles 57
PATHOLOGY AND BACTERIOLOGY . Carl M. McCandless, Jr. St. Joseph's Hospital, Buena Vista and Park Hill, San Francisco 17
PEDIATRICS
PHYSICAL MEDICINE Karl H. Haase Wadsworth General Hospital, V. A. Center, Los Angeles 25
PREVENTIVE MEDICINE AND PUBLIC HEALTH Irving D. Litwack 2655 Pine Avenue, Long Beach 6
PSYCHIATRY AND NEUROLOGY Mark Zeifert Psychiatry: Mark Zeifert, 1065 S Street, Fresno 21 Neurology: Henry S. Colony, 411 Thirtieth Street, Oakland 9
RADIOLOGY Robert L. Scanian 2131 West Third Street, Los Angeles 57
UROLOGY August Spitalny 3637 California Street, San Francisco 18

UNIVERSITY OF CALIFORNIA AT LOS ANGELES

- Clinical Traineeships Anesthesia, Dermatology and Pediatric Cardiology. Dates by arrangement. Minimum period—two weeks. Fee: Two weeks, \$150.00; four weeks, \$250.00.
- General Pediatrics. Thursday evenings, September 21 through December 7. Harbor Hospital, Torrance.*†
- Basic Science Course in Ophthalmology. Wednesday afternoons, September through April. Fee: \$175.00.
- Teaching Clinics. September 21 through December 14, Thursday evenings. UCLA Medical Center, Room 13-105. 24 hours. Fee: \$60.00.
- Low Back Pain. Saturday and Sunday, December 2 and
- Peripheral Vascular Disease. Friday and Saturday, December 15 and 16.
- For information on courses for physicians or ancillary personnel contact: Thomas H. Sternberg, M.D., assistant dean for Continuing Medical Education, U.C.L.A. Medical Center, Los Angeles 24. BRadshaw 2-8911, Ext. 7114.

UNIVERSITY OF CALIFORNIA, SAN FRANCISCO

- Obstetrics and Gynecology. Thursday through Saturday, September 14 through 16. Twenty-one hours. Fee: \$40.00.
- Internal Medicine-A Selective Review. Monday through Friday, September 18 through 22. Thirty-five hours. Fee: \$20.00 per day or \$90.00 per month.
- Neuropsychiatry in General Practice. Thursdays, September 28 through November 2. Napa Hospital. Fee:
- A Clinic on Human Disabilities. Friday and Saturday, September 29 and 30. Fourteen hours.
- Evening Lectures in Medicine. Oakland Hospital, Tuesday evenings, October 3 through November 21. Fee: \$35.00.
- International Symposium on Bone: Clinical Application of Recent Advances. Saturday through Monday, October 7 through 9. Twenty-one hours. Fee: **\$**50.00.
- Urology. Thursday through Saturday, October 12 through 14. Twenty-one hours. Fee: \$50.00.
- Problems Due to Infection in Medicine and Surgery. Saturday and Sunday, October 28 and 29. Franklin Hospital. Fourteen hours. Fee: \$25.00.
- Diagnosis in Ophthalmology. Thursday through Saturday, November 2 through 4. Twenty-one hours. Fee: **\$**60.00.
- Problems of Adolescence. Children's Hospital. Saturday, November 4. Seven hours. Fee: \$12.50.
- Alcohol and Civilization. Saturday through Monday, November 11 through 13. Twenty-one hours. Fee: \$25.00.
- Psychiatry in General Practice. Napa State Hospital, Saturday and Sunday, November 18 and 19. Fourteen hours. Fee: \$25.00.
- Hematology. Thursday and Friday, November 30 and December 1. Fourteen hours.*
- Surgery of the Hand and Forearm. Friday through Sunday, December 1 through 3. Twenty-one hours. Fee: \$50.00.
- External Diseases of the Eye. Thursday through Saturday, December 7 through 9. Twenty-one hours. Fee: **\$**50.00.
- Fees to be announced.
- †Hours to be announced.

- Skin Problems in Children. Saturday, January 13, 1962. Children's Hospital. Seven hours.
- Man and Civilization: Control of the Mind, Part II. Saturday through Monday, January 27 through 29.
- Dermatology. Friday through Saturday, February 9 and 10. Fourteen hours.*
- Child Development. Saturday, March 10. Seven hours. Children's Hospital.*
- Fundamental Practices of Radioactivity and the Diagnostic and Therapeutic Use of Radioisotopes. Two or three month course limited to one enrollee per month. Fee: \$350.00.
- For information on courses for physicians or ancillary personnel contact: Department of Continuing Medical Education in Medicine and Health Sciences, University of California Medical Center, San Francisco 22. MOntrose 4-3600, Ext. 665.

PRESBYTERIAN MEDICAL CENTER, SAN FRANCISCO

- Retinal Detachment Course. September 4 through 6. Limited enrollment. Fee: \$100. Contact: Secretary, Presbyterian Medical Center Eye Bank, 2018 Webster Street, San Francisco 15.
- Contact: Arthur Selzer, M.D., program committee chairman, Presbyterian Medical Center, Clay and Webster Sts., San Francisco 15, WEst 1-8000, Ext. 303 or 414.

UNIVERSITY OF SOUTHERN CALIFORNIA, LOS ANGELES

- Basic Home Course in Electrocardiography. One year postgraduate series, electrocardiogram interpretation by mail. Physicians may register at any time and receive all 52 issues. Fifty-two weeks. Fee: \$100.00.
- Advanced Home Course in Electrocardiography. One year postgraduate series, electrocardiogram interpretation by mail. Fifty-two issues: \$85.00. Physicians may register at any time.
- Intensive Review of Internal Medicine. Monday through Friday, September 11 through 22, 8:30 a.m. to 12:30 p.m., Los Angeles County Hospital. Fee: \$65.00.
- Bedside Clinics and Set Clinics in Internal Medicine. Thursday evenings, October 5 through January 11, 1962, 7:30 to 9:30 p.m. Los Angeles County Hospital. Fee: \$65.00.
- Dermal Pathology. Friday and Saturday, October 20 and 21. Ambassador Hotel. Fee: \$37.50 includes one luncheon and coffee break.
- Funduscopy in Internal Medicine. Tuesday evenings, November 7 through November 28, 7 to 9 p.m. Los Angeles County Hospital. Fee: \$37.50. Enrollment limited to 20.
- Review of Recent and Practical Problems in Medicine (Homecoming). Thursday and Friday, November 9 and 10, Statler Hotel, Los Angeles.*
- Symposium on Anticoagulant Therapy. Friday, November 24. Fee: \$25.00.
- Bedside Cardiology. Thursday evenings, February 8 through April 26, 1962, 7:30 to 9:30 p.m. Los Angeles County Hospital.
- Refresher Course to be held in Western Europe. Dates to be announced.
- Hawaii Course. Summer of 1962.
- Contact: Phil R. Manning, M.D., Associate Dean and Director, Postgraduate Division, University of Southern California School of Medicine, 2025 Zonal Avenue, Los Angeles 33. CApital 5-1511.

LOMA LINDA UNIVERSITY

- Clinical Traineeships available in clinical departments by arrangement with Postgraduate Division and Postgraduate Chairman of department involved. In addition to those listed other traineeships in other departments can be arranged. Eighty hours minimum. Limited enrollment. Begin when individually arranged.
 - 1. Anesthesia. Six months, 250 to 300 hours. Fee:
 - 2. Internal Medicine. Two weeks to nine months.
 - 3. Pulmonary Diseases (can be arranged).
 - 4. Traumatology. One month, 160 hours. Fee: \$125.00.
 - 5. Urology (can be arranged).
- Alumni Postgraduate Convention. March 13 through 15, 1962, Ambassador Hotel, Los Angeles. Contact: Kenneth H. Abbott, M.D., general chairman, 316 No. Bailey Ave., Los Angeles 33.
- For information contact: Division of Postgraduate Medicine, Loma Linda University, 1720 Brooklyn Ave., Los Angeles 33. ANgelus 9-7241, Ext. 214.

CALIFORNIA MEDICAL ASSOCIATION POSTGRADUATE CIRCUIT COURSES

- Sacramento Valley Counties in Redding, Chico, Marysville, and Auburn in cooperation with University of California San Francisco School of Medicine. Begins week of September 18, 1961.
- North Coast Counties in Eureka, Ukiah and Napa in cooperation with Stanford University School of Medicine. Begins week of September 18, 1961.
- West Coast Counties in cooperation with Stanford University School of Medicine on Friday, October 20, 1961, at Sister's Hospital, Santa Maria, and on Saturday, October 21, 1961, The General Hospital, San Luis Obispo.

POSTGRADUATE INSTITUTES-1962

- Southern Counties in cooperation with University of California Los Angeles School of Medicine. Balboa Bay Club, Balboa. February 8 and 9, 1962. *Chairman:* Bertram L. Tesman, M.D., 1781 West Romneya Drive, Anaheim, California.
- West Coast Counties in cooperation with University of Southern California School of Medicine, Del Monte Lodge, Pebble Beach. March 8 and 9, 1962. *Chairman:* Joseph E. Turner, M.D., 1073 Cass Street, Monterey.
- North Coast Counties, in cooperation with Stanford University School of Medicine. Hoberg's Resort, Lake County, March 29 and 30, 1962. Chairman: Lucius L. Button, M.D., 1102 Montgomery Drive, Santa Rosa.
- San Joaquin Valley in cooperation with University of California San Francisco School of Medicine. Ahwahnee Hotel, Yosemite. May 3 and 4, 1962. *Chairman:* Samuel Ross, M.D., 2946 Fresno Street, Fresno.
- Sacramento Valley Counties in cooperation with Loma Linda University. Lake Tahoe. June 21 and 22, 1962. (Chairman to be announced.)

AUDIO-DIGEST FOUNDATION

A nonprofit subsidiary of California Medical Association, offers a subscription series of hour-long tape recordings condensing highlights of important literature and leading national meetings. Designed to be heard in the automobile, home or office. Six different services are offered

—General Practice, Surgery, Internal Medicine, Obstetrics-Gynecology, Pediatrics, and Anesthesiology. Also, just compiled and released is a Catalog of Classics, offering panel discussions and symposia on specific subjects in all specialties. For information contact Mr. Claron L. Oakley, Editor, 619 So. Westlake Avenue, Los Angeles 57, HUbbard 3-3451.

Medical Dates Bulletin

SUMMER MEETINGS

- NEVADA STATE MEDICAL ASSOCIATION 58th Annual Meeting and 11th Annual Conference of the Reno Surgical Society. August 23 through 26. Reno, Nevada. Contact: Mr. Nelson B. Neff, Exec. Secretary, Nevada State Medical Association, 506 Humboldt St., Reno.
- PACIFIC DERMATOLOGIC ASSOCIATION Annual Meeting. Hotel Utah, Salt Lake City, Utah, August 30 through September 2. Contact: Edward J. Ringrose, M.D., secretary-treasurer, 2828 Telegraph Avenue, Berkeley 5.

SEPTEMBER MEETINGS

- NATIONAL KIDNEY DISEASE FOUNDATION, INC. First Kidney Disease Symposium, Ambassador Hotel, Los Angeles, September 13, 9:00 a.m. to 5:00 p.m. Fee: \$12.50 (includes lectures and lunch). Contact: Mrs. Jean Gordon, administrative assistant, 1227½ South La Brea, Los Angeles 19.
- Los Angeles Pediatric Society Meeting. The use of Amphetamine Tranquilizers and Psychic Energizers in Pediatrics, September 14, 6:30 p.m. Los Angeles County Medical Association Building, 1925 Wilshire Boulevard, Los Angeles. Contact: Leslie M. Holve, M.D., secretary, 1015 Gayley, Los Angeles 24.
- St. John's Hospital Postgraduate Assembly, September 14 through 16. St. John's Hospital, 1328 22nd St., Santa Monica. Contact: John C. Eagan, M.D., director, 1328 22nd St., Santa Monica.
- Santa Barbara County Heart Association Sixth Annual Symposium on Cardiovascular Disease. September 16, 9 a.m. to 5 p.m. Santa Barbara Biltmore Hotel. Contact: Mrs. Sara Clyde, executive director, 18 La Arcada Court, Santa Barbara.
- Washington State Medical Association Annual Convention. September 17 through 20. Olympic Hotel, Seattle, Wash. Contact: R. W. Neill, 1309 7th Ave., Seattle.
- San Francisco Heart Association 31st Annual Postgraduate Symposium. September 27 through 29, St. Francis Hotel, San Francisco. *Contact:* Gene Taylor, executive director, 259 Geary Street, San Francisco 2.
- California Society of Internal Medicine Annual Meeting. September 29 through October 1. Hotel del Coronado, Coronado. Contact: Philip L. Pillsbury, M.D., secretary-treasurer, 350 Post Street, San Francisco 8.

OCTOBER MEETINGS

- KAISER FOUNDATION HOSPITALS IN NORTHERN CALIFORNIA Fifth Annual Symposium on Immunology and Autoimmune Disease. October 6 and 7, Fairmont Hotel, San Francisco. Contact: Martin A. Shearn, M.D., director of medical education, 280 West MacArthur Blvd., Oakland.
- WESTERN INDUSTRIAL MEDICAL ASSOCIATION Western Occupational Health Conference, October 6 and 7, Biltmore Hotel, Los Angeles. Contact: B. M. Brundage, M.D., Medical Director, Atomics International, P. O. Box 309, Canoga Park, Calif.

- Los Angeles County Heart Association Professional Symposium. October 11 and 12. 9 a.m. to 5 p.m., Statler Hilton Hotel, Los Angeles. *Contact:* Manuel Siegel, program director, 2405 W. 8th St., Los Angeles 57.
- SEQUOIA HOSPITAL FOURTH ANNUAL SYMPOSIA, "Man and His Environment." October 14, 8:30 a.m. Sequoia Hospital, Redwood City. Contact: Eldon E. Ellis, M.D., program chairman, Sequoia Hospital, Redwood City.
- CALIFORNIA ACADEMY OF GENERAL PRACTICE Scientific Assembly. October 15 through 18. Statler Hilton Hotel, Los Angeles. Contact: William W. Rogers, Exec. Secretary, 461 Market Street, San Francisco 5.
- SOUTHWESTERN MEDICAL ASSOCIATION 43rd Annual Meeting, October 19 through 21. Tropicana Hotel, Las Vegas, Nevada. Registration: \$25 (includes 2 roundtable discussion luncheons). Contact: Mott, Reid, and McFall, 310 North Stanton Street, El Paso, Texas.
- West Coast Psychoanalytic Societies Meeting, Beverly Hills, October 21 and 22. Contact: Executive Secretary, Los Angeles Institute for Psychoanalysis, 344 North Bedford Drive, Beverly Hills.
- St. Jude Hospital Postgraduate Assembly, Fullerton, October 22, all day beginning at 8:30 a.m. Contact: B. L. Tesman, M.D., St. Jude Hospital, Fullerton.
- AMERICAN SOCIETY OF ANESTHESIOLOGISTS, INC., October 22 through 27, Statler Hilton, Los Angeles. Contact: Mr. John W. Andes, executive secretary, 515 Busse Highway, Park Ridge, Illinois.
- California Conference of Local Health Officers Fall Meeting, Woodland, Calif., October 25 and 26. Contact: Donald G. Davy, M.D., assistant to chief, Division of Community Health Services, Dept. of Public Health, Berkeley 4.
- Kern County General Hospital Postgraduate Conference and Alumni Day, October 27, 7:30 a.m. to 5:00 p.m. Contact: George A. Paulsen, M.D., chairman, Postgraduate Conference Committee, Kern County General Hospital, 1830 Flower Street, Bakersfield.
- San Diego County Heart Association Eleventh Annual Symposium. San Diego Veterans War Memorial Building, October 27 and 28. Contact: O. M. Avison, executive director, 3545 Fourth Avenue, San Diego 3.

NOVEMBER MEETINGS

- AMERICAN COLLEGE OF PHYSICIANS Southern California Region 4th Annual Basic Science Lecture Dinner. Statler Hilton, Los Angeles, November 1, 6:30 p.m. Contact: George C. Griffith, M.D., governor, Box 25, 1200 North State Street, Los Angeles 33.
- San Diego County General Hospital Fifteenth Annual Postgraduate Assembly. November 1 and 2. No registration fee. *Contact:* David E. Wile, M.D., chairman, San Diego County General Hospital, San Diego.
- Los Angeles Pediatric Society (of Los Angeles County Medical Association) Annual Brennemann Lecture Series. Ambassador Hotel, Los Angeles, November 8 and 9. Contact: Leslie M. Holve, M.D., secretary, 1015 Gayley, Los Angeles 24.
- Pacific Coast Fertility Society Tenth Annual Meeting, El Mirador Hotel, Palm Springs, November 9 through 12. Contact: Gregory Smith, M.D., secretary, 909 Hyde Street, San Francisco 9.

- SAN DIEGO CHAPTER, CALIFORNIA ACADEMY OF GENERAL PRACTICE Fifth Annual Meeting. November 9 through 11, Riviera Hotel, Las Vegas. Contact: George H. Burkhart, M.D., 514 Third Ave., Chula Vista.
- WESTERN SURGICAL ASSOCIATION, November 29 through December 1, St. Francis Hotel, San Francisco. Contact: Walter W. Carroll, M.D., secretary, 700 N. Michigan Ave., Chicago 11.

DECEMBER MEETINGS

AMERICAN COLLECE OF CHEST PHYSICIANS Seventh Annual Postgraduate Course on Diseases of the Chest. December 4 through 8, 9:00 a.m. to 5:00 p.m. daily, Statler Hilton Hotel, Los Angeles. Contact: Mr. Murray Kornfeld, executive director, 112 East Chestnut Street, Chicago 11, Illinois.

1962 MEETINGS

- Los Angeles County Heart Association Sixth Midwinter Professional Symposium, January 10, Statler Hilton Hotel, Los Angeles. Contact: Edward Shapiro, M.D., chairman, Professional Symposium Committee, Los Angeles County Heart Association, 2405 W. 8th Street, Los Angeles 57.
- AMERICAN COLLEGE OF SURGEONS Sectional Meeting. Statler-Hilton and Biltmore Hotels, Los Angeles, January 29 through February 1. *Contact:* William E. Adams, M.D., secretary, 40 E. Erie Street, Chicago 11.
- Tuberculosis and Health Association of California Annual Meeting. El Cortez Hotel, San Diego, February 7 through 10. *Contact:* Mr. Wm. Phraener, coordinator, public relations, 130 Hayes Street, San Francisco.
- AMERICAN COLLEGE OF PHYSICIANS ANNUAL SOUTHERN CALIFORNIA Regional Meeting. El Mirador Hotel, Palm Springs, February 16 through 18. Submit abstracts to Walter S. Graf, 3701 Stocker Street, Los Angeles, by Nov. 1, 1961. *Contact:* George C. Griffith, M.D., governor, Box 25, 1200 North State Street, Los Angeles 33.
- PACIFIC COAST SURGICAL ASSOCIATION Annual Meeting. Sheraton Hotel, Portland, Oregon, February 18 through 21. Contact: Carleton Mathewson, M.D., Presbyterian Medical Center, San Francisco.
- SOUTHWESTERN PEDIATRIC SOCIETY Spring Lecture Series. Evening of March 6 and all day March 7, Statler Hotel, Los Angeles. Contact: R. W. Watson, 504 So. Sierra Madre Boulevard, Pasadena.
- ANESTHESIA SECTION OF THE LOS ANGELES COUNTY MEDICAL ASSOCIATION Seventh Annual Spring Postgraduate Meeting. Statler Hilton, Los Angeles. March 10 and 11. Contact: Thomas W. McIntosh, M.D., 686 East Union Street, Pasadena.
- AMERICAN ORTHOPSYCHIATRIC ASSOCIATION, INC., Biltmore Hotel, Los Angeles, March 21 through 24. Contact: Dr. Marion F. Langer, 1790 Broadway, New York 19.
- International College of Applied Nutrition Annual Convention. Huntington-Sheraton Hotel, Pasadena, March 22 and 23. Contact: Donald C. Collins, M.D., secretary, Suite 503, 7046 Hollywood Blvd., Hollywood 28.
- AMERICAN ACADEMY OF GENERAL PRACTICE. Las Vegas, Nevada. April 6 through 13. Contact: Mr. Mac F. Cahal, executive director, Volker Blvd. at Brookside, Kansas City 12, Mo.
- CALIFORNIA MEDICAL ASSOCIATION Annual Session. San Francisco. April 15 through 18, 1962.



- * lowers motility
- * controls diarrhea

Lomotil brings prompt symptomatic control in diarrhea, either acute or chronic. Both pharmacologic and clinical evidence indicate that Lomotil selectively lowers the propulsive component of gastrointestinal motility without relaxing intestinal sphincters. So efficient is this action that studies in mice have shown Lomotil to be effectively antidiarrheal in one-eleventh the dosage of morphine.

Such striking antidiarrheal activity strongly suggests that Lomotil is the drug of first choice for prompt and positive control of diarrhea.

Dosage: The recommended initial dosage for adults is two tablets (2.5 mg. each) three or four times daily, reduced to meet the requirements of each patient as soon as the diarrhea is under control. Maintenance dosage may be as low as two tablets daily. Lomotil is supplied as unscored, uncoated white tablets of 2.5 mg., each containing 0.025 mg. of atropine sulfate to discourage deliberate overdosage. Recommended dosage schedules should not be exceeded.

An exempt preparation under Federal Narcotic Law. Descriptive literature and directions for use available in G. D. SEARLE & CO. Physicians' Product Brochure No. 81 from G. D. Searle & Co., P.O. Box 5110, Chicago 80, Illinois.

CHICAGO 80, ILLINOIS Research in the Service of Medicine



COMPOSITION PER LITER Dextrose Gm. Na+ K+ CL- Lact- HPO_i= Calories mOs.

20

15

35 40

40

Border, J., Talbot, N., Terry, M., and Lincoln, G.: Use of Multiple Electrolyte Solution to Prevent Disturbances in Water and Electrolyte Metabolism, Metabolism 9:897-904 (October) 1960.

FOR EFFECTIVE
FLUID MAINTENANCE
THERAPY



400


180





A SEAT BELT CAN SAVE YOUR LIFE!

"Safety belts, properly used, often prevent or reduce injury and death in collisions," says the California Highway Patrol.



Hit by train at a grade crossing, the driver of this car owes his life to a safety belt.

(Official Photo, California Highway Patrol)

INSTALL and USE Seat Belts in Your Automobile

All C.M.A. members are urged to promote safety in driving by INSTALLING and USING seat belts in their autos, as recommended by the Committee on Traffic Safety.

For your convenience, the Committee on Traffic Safety has arranged with Tulareloft Manufacturing Company for a direct purchase of their #300 Seat Belt. This belt is manufactured in California, and meets the specifications of the California Highway Patrol for use in patrol autos.

The belt is made of heavy nylon webbing, capable of withstanding 6,000 pounds pressure per square inch. The buckle is the metal-to-metal type with an easy-connect and quick-release feature.

Installation instructions should be carefully followed!!!

The price is \$5.95 for standard belts, covers tax and shipping cost. Cadillacs require longer belts—30 cents extra; Sportscar-type anchors—50 cents extra.

"REMEMBER—THE LIFE YOU SAVE MAY BE YOUR OWN!"

USE	THIS COUPON		
TULARELOFT 348 North "L" Street, Tulare, California	Beige	Black	Blue (Dark)
Attached is my check for \$	•	Maroon	
Please send mebelts. Circled at right is my selection of color and number of each belt ordered. I have checked the type of automobile in which the belt is to be installed.	Tan	Turquoise Yellow	
SPECIAL PRICE TO DOCTORS			
CADILLAC SPORTSCAR (\$6.25 each) (\$6.45 each)	Address		
STANDARD (\$5.95 each)	71001633		
Standard belts will fit all other cars. Full instructions will be sent without charge.	City	Zone	State

Introducing PHILIPS ROXANE

A new name in Pharmaceuticals

Philips Roxane comes to you as a new name in American pharmaceutical manufacture. But our roots go deep. We have well-established resources in this country. In Holland and elsewhere in Europe, we have access to research from which substantial contributions have been made in the areas of human, animal and plant health.


A wide range of new pharmaceuticals is now being developed which will have significant usefulness to you in your practice.

For example, extensive studies are now being carried out in organic synthesis, vaccines, and radioactive isotopes. Some of these pharmaceuticals and biologicals are presently undergoing clinical trials in this country.

One research project nearing completion is a measles vaccine, now undergoing extensive U. S. clinical trial. Another preparation, soon to be available, is a progestational agent which gives promise of offering distinct advantages over those presently available. A true progestin, it will have wide application in female disturbances without androgenic, estrogenic, or corticosteroid side effects.

Philips Roxane has acquired affiliates throughout the United States, where research and development in human, animal and plant medicines are being greatly extended through their production facilities and sales organizations.

The name Philips Roxane will become as familiar to you as the names of many other fine pharmaceutical houses in this country, whose products and people serve you faithfully.






PHILIPS ROXANE, INC.

COLUMBUS, OHIO SUBSIDIARY OF PHILIPS ELECTRONICS AND PHARMACEUTICAL INDUSTR

PROGRESS IN RESEARCH FOR MEDICINE

'B.W. & Co.' 'Sporin' Ointments rarely sensitize... give decisive bactericidal action for most every topical indication



Contents per Gm.	'Polysporin'®	'Polysporin'® 'Neosporin'® 'Cortisporin		
'Aerosporin'® brand Polymyxin B Sulfate	10,000 Units	5,000 Units	5,000 Units	
Zinc Bacitracin	500 Units	400 Units	400 Units	
Neomycin Sulfate	_	5 mg.	5 mg.	
Hydrocortisone	_	10		
Supplied:	Tubes of 1 oz., $\frac{1}{2}$ oz. and $\frac{1}{8}$ oz. (with ophthalmic tip)	Tubes of 1 oz., $\frac{1}{2}$ oz. and $\frac{1}{8}$ oz. (with ophthalmic tip)	Tubes of $\frac{1}{2}$ oz. and $\frac{1}{8}$ oz. (with ophthalmic tip)	




BURROUGHS WELLCOME & CO. (U.S.A.) INC., Tuckahoe, New York



IN FUNCTIONAL G.I. AND BILIARY DISTURBANCES ... TO EACH PATIENT ACCORDING TO THE NEED

DECHOLIN-BB°



butabarbital sodium	15 mg. (¼ gr.)
(Warning-may be habit forming)	
dehydrocholic acid, AMES2	50 mg. (3¾ gr.)
belladonna extract	10 mg. (1/6 gr.)

DECHOLIN' with Belladonna

Hydrocholeretic—Antispasmodic...to relax SPASM of smooth muscle of G.I. tract and sphincter of Oddi...and also counteract biliary/intestinal stasis

dehydrocholic acid, Ames2	50 mg. (3¾ gr.))
belladonna extract	10 mg. (1/6 gr.))

DECHOLIN

Hydrocholeretic...to combat STASIS in bowel and biliary tract...by activating biliary function with a greatly increased flow of aqueous "therapeutic" bile

dehydrocholic acid, AMES250 mg. (3¾ gr.)

Average adult dose: 1 or, if necessary, 2 tablets three times daily.

Side effects: Decholin by itself, or as an ingredient, may cause transitory diarrhea. Belladonna in Decholin with Belladonna and Decholin-BB may cause blurred vision and dryness of mouth.

Contraindications: Biliary tract obstruction, acute hepatitis, and (for Decholin with Belladonna and Decholin-BB) glaucoma.

Precautions: Periodically check patients on Decholin with Belladonna and Decholin-BB for increased intraocular pressure. Also observe patients on Decholin-BB for evidence of barbiturate habituation or addiction, and warn drivers against any risk of drowsiness.

Available: Decholin-BB, in bottles of 100 tablets; Decholin with Belladonna and Decholin, in bottles of 100 and 500.







MAN IN A HURRY. He's too busy to give his securities the time and attention they need. And here's where Bank of America can be of invaluable help. Our Trust Department will keep your portfolio in meticulous order—relieve you of time-consuming paper work, too. Further information? For our free booklet, "Custodianship of Securities," inquire at any branch of BANK OF AMERICA

add am essentia

lackine in

indelli se o mante e s



new...

POLYMUL®

Infant Nutrition Supplement

POLYMUL, a unique combination of these polyunsaturated fatty acids protected by antioxidant tocopherols, added to cow's milk formulas restores the balance of unsaturated fatty acids to more nearly

resemble mother's milk.

,...human milk fat contains more than
three and one-half times as much of the so-called
'essential' fatty acids as cow's milk..."

POLYMUL ... improves the nutritional value of cow's milk formulus.

Each 1 cc. Polymul 'dispensulat' contains 950 mg. of unsaturated fatty adid glycerides providing;

Desage: 2 to 4 cr. per day Average dose 3 cc. per day. Contents of 3 Polymun dispensulets in formula after sterilization or one 'dispensulet' to 4 ounces of formula for three feedings.

Supply: Convenient, accurate 'dispensulets' (1 cc.) in dispensing carton of 100 — over one month's supply.



PHARMACEUTICA INDUSTRIES; INC. Eriton,

Theragran[®] SQUIBB VITAMINS FOR THERAPY

For your patients with infections or other illnesses who need therapeutic vitamin support. Each Theragran supplies the essential vitamins in truly therapeutic amounts:

Vitamin A 25,000 U.S.P. Units
Vitamin D 1,000 U.S.P. Units
Thiamine Mononitrate 10 mg.
Riboflavin
Niacinamide 100 mg.
Vitamin C
Pyridoxine Hydrochloride 5 mg.
Calcium Pantothenate
Vitamin B_{12} 5 mcg.



Cnutrition...present as a modifying or complicating factor in nearly every illness or disease state 991

1. Youmans, J. B.: Am. J. Med. 25:659 (Nov.) 1958

Cardiac diseases "Who can say, for example, whether the patient chronically ill with myocardial failure may not have a poorer myocardium because of a moderate deficiency in the vitamin B-complex? Something is known of the relationship of vitamin C to the intercellular ground substance and repair of tissues. One may speculate upon the effects of a deficiency of this vitamin, short of scurvy, upon the tissues in chronic disease." ² 2. Kampmeler, R. H.: Am. J. Med. 25:662 (NOV.) 1958.

arthritis "It is our practice to prescribe a multiple vitamin preparation to patients with rheumatoid arthritis simply to insure nutritional adequacy..."8
3. Fernandez-Herlihy, L: Lahey Clinic Bull. 11:12 (July-Sept.) 1958.

digestive diseases Symptoms attributable to B-vitamin deficiency are commonly observed in patients on peptic ulcer diets. Daily administration of therapeutic vitamins to patients with hepatitis and cirrhosis is recommended by the National Research Council. 4. Sebrell, W. H.: Am. J. Med. 25:673 (Nov.) 1958. 5. Pollack, H., and Halpern, S. L.: Therapeutic Nutrition. National Academy of Sciences and National Research Council, Washington, D. C., 1952, p. 57.

degenerative diseases "Studies by Wexberg, Jolliffe and others have indicated that many of the symptoms attributed in the past to senility or to cerebral arteriosclerosis seem to respond with remarkable speed to the administration of vitamins, particularly niacin and ascorbic acid. These facts indicate that the vitamin reserve of aging persons is lowered, even to the danger point, more than is the case in the average American adult." 6,0verholser, W., and Fong, T.C.C. In Stleglitz, E. J.: Gerlatric Medicine, 3rd edition, J. B. Lippincott, Philadelphia, 1954, p. 264.

infectious diseases Infections cause a lowering of ascorbic acid levels in the plasma; and the absorption of this vitamin is reduced in diarrheal states. 7 7. Goldsmith, G A.: Conference on Vitamin C. The New York Academy of Sciences, New York City, Oct. 7 and 8, 1960. Reported In: Medical Science 8:772 (Dec.10) 1960.


diabetes Diabetics, like all patients on restricted diets, require an extra source of vitamins.8 "Rigidly limiting the bread intake of the diabetic patient automatically eliminates a large amount of thiamin from the diet....There is some evidence of interference with normal riboflavin utilization during catabolic episodes."

8. Duncan G.G.: Diseases of Metabolism 4th edition W.B. Saunders, Philadelphia, 1959, p. 812. 9. Pollack, H.: Am. J. Med. 25:708 (Nov.) 1958.

FOR FULL INFORMATION SEE YOUR SQUIBB PRODUCT REFERENCE OR PRODUCT BRIEF.



In clinical trials on more than 700 men and women new IOQUIN Suspension controlled 95% of dandruff cases treated . . . dry or oily. No prescription required. Sold only in pharmacies. Unbreakable bottles.



In summer respiratory allergies,

the treatment problem is to relieve congestion. Valuable as antihistamines are against sneezing, itchy, weeping eyes and rhinorrhea, they are less effective against nasal congestion.¹

NOVAHISTINE DECONGESTS

Novahistine provides more than simple antihistaminic effect. It shrinks congested mucous membranes (nasal, pharyngeal, laryngeal, conjunctival), opens up air passages, promotes sinus drainage, and helps prevent mouth breathing.

NOVAHISTINE LP TABLETS

8 to 12 hour relief with a single adult dose of 2 tablets. Each tablet contains 25 mg. phenylephrine HCl (a vasoconstrictor that does not increase pulse rate) and 4 mg. chlorprophenpyridamine maleate (a potent, well-tolerated antihistamine).

NOVAHISTINE ELIXIR

exceptionally palatable liquid that children like to take. Each 5 ml. teaspoonful contains 5 mg. phenylephrine HCI and 2 mg. chlorprophenpyridamine maleate.

1. Beckman, H.: *Pharmacology: The Nature, Action and Use of Drugs*, 2nd Ed. W. B. Saunders Company, Philadelphia and London, 1961, p. 673.



PITMAN-MOORE COMPANY

Division of The Dow Chemical Company Indianapolis 6, Indiana

DIRECTORY

HOSPITALS • SANITARIUMS • REST HOMES


ALEXANDER SANITARIUM, Inc. LOCATED IN THE FOOTHILLS OF BELMONT, CALIFORNIA Address Correspondence: MEDICAL DIRECTOR, Alexander Sanitarium, Inc., Belmont, California

The Alexander Sanitarium is a neuropsychiatric open hospital for treatment of emotional states, geriatric cases and alcoholism. Treatments include hydrotherapy, electro and insulin shock-therapy, psychotherapy and occupational therapy. Conditional reflex treatment for alcoholism.

Occupational facilities consist of special occupational therapy room tennis court, billiards, badminton court, table tennis and completely enclosed, heated, full-size swimming pool.

J. M. CRUIKSHANK, M.D., D.P.H., F.A.C.S., Medical Director PSYCHIATRISTS: JOHN ALDEN, M.D., Chief of Staff; HEN-DRIE GARTSHORE, M.D., Asst. Chief of Staff; P. P. POLIAK, M.D., Asst. Chief of Staff; GEORGE KOLAWSKI, M.D.

A patient accepted for treatment may remain under the supervision of his own physician if he so desires



Woodside Acres Hospital

Exclusively for the treatment of

ACUTE AND CHRONIC

ALCOHOLIS

MEMBER AMERICAN HOSPITAL ASSOCIATION

1600 Gordon Street

EMerson 8-4134

Redwood City, California

Twin Pines NEUROPSYCHIATRIC

OPEN, VISITING AND CONSULTING STAFF

In-patient services for acute and chronic emotional illnesses.

> Electric shock Hydrotherapy

Insulin shock **Psychotherapy**

Occupational therapy

Out-patient services for selective cases

Attending Staff

A. T. VORIS, M.D., Medical Director DAVID S. WILDER, M.D. . ROBERT E. JAMES, M.D. ALEXANDER H. MILNE, M.D. . ROBERT L. MEIERS, M.D.

BELMONT, CALIFORNIA

ESTABLISHED 1925

LYtell 1-8951

Located 22 miles south of San Francisco. Accessible to transportation.



DIRECTORY

HOSPITALS • SANITABIUMS • REST HOMES



GREENS' EYE HOSPITAL

Completely equipped for the surgical and medical care of all eye, ear, nose and throat cases.

Address All Communications to the Administrator

BUSH ST. at OCTAVIA • SAN FRANCISCO • WEST 1-4300

Accredited by J.C.A.H.

COMPTON FOUNDATION HOSPITAL

FORMERLY COMPTON SANITARIUM
820 West Compton Boulevard
COMPTON, CALIFORNIA
NE 6-1185 NE 1-1148

G. CRESWELL BURNS, M.D.

Medical Director

HELEN RISLOW BURNS, M.D.

Assistant Medical Director

MEMBER OF

American Hospital Association and
National Association of Private Psychiatric Hospitals
High Standards of Psychiatric Treatment
. Serving the Los Angeles Area



Fully Approved by Central Inspection Board of APA

Accredited by

Joint Commission on Accreditation of Hospitals



Located in the heart of the beautiful Phoenix citrus area near picturesque Camelback Mountain, the hospital is dedicated exclusively to the treatment of psychiatric and psychosomatic disorders, including alcoholism.

Constant care, supervision and companionship are an integral part of the therapy program at Camelback Hospital. Whether patients prefer restful hobbies such as TV viewing, reading, conversing in the modern, comfortable rooms, or enjoy more active out-of-doors recreation, highly-trained, registered nurses are always nearby.

Camelback Hospital

5055 North 34th Street AMberst 4 1111 PHOENIX APIZONA DIL BENDHEIM MIDI FIA PIA I Medical Director in the wide <u>middle</u> region of pain

Percodan

(Salts of Dihydrohydroxycodeinone and Homatropine, plus APC)

TABLETS

fills the gap between mild oral and potent parenteral analgesics¹⁷

- acts in 5-15 minutes
- relief usually lasts
- 6 hours or longer
- toleration excellent... constipation rare
- sleep uninterrupted by pain

Each Percodan* Tablet contains
4.50 mg. dihydrohydroxycodeinone
HCl, 0.38 mg. dihydrohydroxycodeinone terephthalate (warning:
may be habit-forming), 0.38 mg.
homatropine terephthalate,
224 mg. acetylsalicylic acid,
160 mg. acetophenetidin, and
32 mg. caffeine.

for fast and thorough pain relief

AVERAGE ADULT DOSE

1 tablet every 6 hours. May be habit-forming. Federal law permits oral prescription.

Also Available For greater

flexibility in dosage —
flexibility in dosage —
Percodan®-Demi: The complete
Percodan formula, but with
only half the amount of salts of
dihydrohydroxycodeinone
and homatropine.

1. Blank, P., and Boas, H.: Improved analgesia for moderate pain, Ann. West. Med. & Surg. 6:376, 1952. 2. Bonica, J. J., et al.: The management of postpartum pain with dihydrohydroxycodeinone (Percodan): Evaluation with codeine and placebo, West. J. Surg. 65:84, 1957. 3. Cass, L. J., and Frederick, W. S.: A controlled study in pain relief, M. Times 84:1318, 1956. 4. Chasko, W. J.: Pain-free dental surgery: Postoperative extension of the pain-free state, J. District of Columbia Dent. Soc. 31:3, No. 5, 1956. 5. Cozen, L.: Office Orthopedics, ed. 2, Philadelphia, Lea & Febiger, 1953, pp. 120, 138, 145, 156, 234. 6. Nicolson, W. P., Jr., nd Skandalakis, J. E.: Control of postoperative pain, J.M.A. Georgia 46:471, 1957. Piper, C. E., and Nicklas, F. W.: Percodan for pain in industrial practice, Indust. Med. 0, 1954; abstracted, Clin. Med. 3:1008, 1956, Current M. Digest 22:135, No. 3, 1955.

ENDO LABORATORIES Richmond Hill 18, New York

*U.S. Pats. 2,628,185 and 2,907,768

Complete Cholesterol Depressant Menus and Recipe Book

A new, authoritative patient-aid . . . for professional distribution only

Now available for use in your practice from The Wesson People . . . easy-to-use manual of 40 pages, including all necessary diet instructions . . . menus, recipes, shopping and cooking guidance . . . all worked out for you . . . so arranged and printed that you have only to check the desired daily calorie level before giving the book to your patient.

You will find this book invaluable for treating patients with elevated serum cholesterol.

Complete menus for 10 days enable you to prescribe diets which are appetizing, nutritiously adequate and which can exert cholesterol depressant activity. Special attention has been given to constructing the menu patterns so that they adhere as closely as permissible to the patient's normal eating habits.

NRC Standards fulfilled. Each menu has been calculated to provide the proper daily allowance of proteins, vitamins and other nutrients as recommended by the Food and Nutrition Board of the National Research Council.

Weight control is achieved as each day's menu is given at 3 calorie levels—1200, 1800 and 2600 calories. You prescribe the level most desirable and modify as desired.

Variety and appetite appeal for patient are built into the menu plan to an extent not previously accomplished. Alternate choices for main dishes minimize monotony, encourage the patient to follow closely the menu plan you specify.

Complete recipes—65 in all—are included to assure that the specified menus provide prescribed levels of calories, the pre-determined ratio of poly-unsaturated to saturated fat, plus essential nutrients.

Dietary fat is controlled so that approximately 36% of the total calories are derived from fat and at least 40% of these fat calories are from poly-unsaturated components (linoleates) as found in pure vegetable oil. The replacement of saturated dietary fat by this percentage of poly-unsaturated fat has been found in clinical studies most effective in the reduction of serum cholesterol and in its maintenance at desirable levels. More liberal menus are provided for maintenance after the patient's progress indicates that desired therapeutic results have been accomplished.

Family meal preparation is simplified. The menus are planned around favorite foods having wide appetite appeal for all members of the household. Patients can entertain in comfort—enjoy cakes, cookies, snacks, prepared with recipes which meet medical requirements.

A high degree of satiety is achieved even at the lower calorie levels, because Wesson provides an unexcelled source of concentrated, slow-burning food energy.


Adaptable for use with diabetics. Carbohydrates have been calculated to fall within the acceptable range for patients to whom a diet planned for diabetes is important. Calories, which must be supplied from fat when the carbohydrate intake is limited, are provided by desirable poly-unsaturated vegetable oil.

WESSON'S IMPORTANT CONSTITUENTS

Wesson is 100% cottonseed oil-winterized and of selected quality

Linoleic acid glycerides (poly-unsaturated)	50-55%
Oleic acid glycerides (mono-unsaturated)	
Palmitic, stearic and myristic glycerides (saturated).	
Phytosterol (Predominantly beta sitosterol)	0.3-0.5%
Total tocopherols	
Never hydrogenated—completely salt free	

Poly-unsaturated Wesson is unsurpassed by any readily available brand, where a vegetable (salad) oil is medically recommended for a cholesterol depressant regimen.



Three of these women have vaginitis (trichomonal, monilial or mixed). Only comprehensive therapy can reach all three.

For every 2 cases of vaginitis caused by Trichomonas vaginalis alone, there is usually 1 case caused by Candida (Monilia) albicans, Haemophilus vaginalis, or mixed infection involving several pathogens. 1-3 You can reach all of these vaginitis patients with the comprehensive vaginal preparation effective against C. albicans, H. vaginalis and other bacterial pathogens, in addition to T. vaginalis.

1. POWDER for weekly application in your office: FUROXONE® (furazolidone) 0.1% and MICOFUR® (nifuroxime) 0.5%, in an acidic water-dispersible base. 15 Gm. plastic squeeze bottle. 2. Suppositories for continued home use: first week 1 in the morning and 1 on retiring. After first week, 1 at night may suffice. Continue treatment during menses and throughout menstrual cycle and for several days thereafter. Contain MICOFUR 0.375% and FUROXONE 0.25% in a water-miscible base. Boxes of 12 or 24 suppositories with applicator.

TRICOFURON

1. Coolidge, C. W.; Glisson, C. S., Jr., and Smith, A. A.: J. M. A. Georgia 48:167 (Apr.) 1959. 2. Ensey, J. E.: Am. J. Obst. & Gynec. 77:155 (Jan.) 1959. 3. Frech, H. C., and Lanier, L. R., Jr.: J. M. A. Georgia 47:498 (Oct.) 1958. EATON LABORATORIES Division of The Norwich Pharmacal Company NORWICH, NEW YORK





Ametocort

in allergic and inflammatory dermatoses

Aristocorte Triancipologe LEDERLE

UNSURPASSED "GENERAL-PURPOSE" STEROID OUTSTANDING FOR "SPECIAL-PURPOSE" THERAPY

ARISTOCORT Triamcinolone has long since proved its unsurpassed efficacy and relative safety in inflammatory and allergic dermatoses.

But ARISTOCORT has also opened up new areas of therapy for selected patients who could otherwise not be given corticosteroids.

for example:

SPECIAL PROBLEM: EDEMA DUE TO SODIUM AND WATER RETENTION In patients with edema induced by the earlier corticosteroids or from other causes, diuresis and sodium loss often occurs with triamcinolone. (Fernandez-Herlihy, L.: M. Clin. North America 44:509 [Mar.] 1960.)

SPECIAL PROBLEM: APPETITE STIMULATION AND WEIGHT GAIN
In contrast to the heightened craving for food sometimes seen with other corticosteroid compounds, appetite was unaffected by triamcinolone. (Cahn, M. M., and Levy, E. J.: Am. Pract. & Digest Treat. 10:993 [June] 1959.)

SPECIAL PROBLEM: HYPERTENSION

When ARISTOCORT was given to patients with dermatologic disorders for long periods, there were no significant changes in blood pressure. (Kanof, N. B.; Blau, S.; Fleischmajer, R., and Meister, B.: A.M.A. Arch. Dermat. 79:631 [June] 1959.)

SPECIAL PROBLEM: PSYCHIC STIMULATION AND INSOMNIA

Ideally, corticosteroid therapy ought not to add to the psychic component in dermatologic disorders, nor induce insomnia which will intensify the patient's itching and irritation. ARISTOCORT Triamcinolone has been singled out for its remarkably low incidence of psychic irritation and insomnia. (McGavack, T. H.: Nebraska M. J. 44:377 [Aug.] 1959; Freyberg, R. H.; Berntsen, C. A., Jr., and Hellman, L.: Arthritis & Rheumatism 1:215 [June] 1958.)

SPECIAL PROBLEM: SEVERE CARDIAC DISEASE

Elderly patients with pulmonary emphysema due to impending heart failure who required corticosteroid therapy showed that triamcinolone could be employed with benefit and relative safety. (McGavack, T. H.; Kao, K. Y. T.; Leake, D. A.; Bauer, H. G., and Berger, H. E.: Am. J. M. Sc. 236:720 [Dec.] 1958.)

Precautions: Collateral hormonal effects generally associated with corticosteroids may be induced. These include Cushingoid manifestations and muscle weakness. However, sodium and potassium retention, edema, weight gain, psychic aberration and hypertension are exceedingly rare. In the treatment of allergic and inflammatory dermatoses, dosage should be individualized and kept at the lowest level needed to control symptoms. Dosage should not exceed 36 mg. daily without potassium supplementation. Drug should not be withdrawn abruptly. Contraindicated in herpes simplex and chicken pox.

Supplied: Scored tablets-1 mg. (yellow); 2 mg. (pink); 4 mg. (white); 16 mg. (white).

Also available—syrup, parenteral and various topical forms.



Request complete information on indications, dosage, precautions and contraindications from your Lederle representative or write to Medical Advisory Department.



SUCCESSFUL FAMILY PLANNING...BASED ON YOUR COUNSEL AND

LANESTA GEL

As a physician, you play an essential role in the happiness and well-being of the family. At all times—when the young couple is first married, as the children arrive, and even after the family is complete—your counsel, including your recommendations for the use of Lanesta Gel, is of major importance.

Lanesta Gel, with or without a diaphragm, is a most effective means of conception control. Lanesta Gel effects speedier spermicidal action because it diffuses rapidly into the seminal clot. In fact, the mean diffusion spermicidal time of Lanesta Gel is three to seven times faster than the mean diffusion times of ten leading, commercially available contraceptive creams, gels, or jellies, according to Gamble ("Spermicidal Times of Commercial Contraceptive Materials — 1959").*

Lanesta Gel has complete esthetic acceptance and is well tolerated.

*Gamble, C. J.: Am. Pract. & Digest Treat. 11:852 (Oct.) 1960. See also Berberian, D. A., and Slighter, R. G.: J.A.M.A. 168:2257 (Dec. 27) 1958; Olson, H. J.; Wolf, L.; Behne, D.; Ungerleider, J., and Tyler, E. T.: California Med. 94:292 (May) 1961; Kaufman, S.A.: Obst. & Gynec. 15:401 (Mar.) 1960; Warner, M.P.:J.Am. M. Women's A. 14:412 (May) 1959.

Active ingredients: 7-chloro-4-indanol, ricinoleic acid, sodium lauryl sulfate, sodium chloride.

A PRODUCT OF LANTEEN® RESEARCH Distributed by
Supplied by Esta Medical Laboratories, Inc., Alliance, Ohio
BREON LABORATORIES INC., New York 18, N. Y.



74 CALIFORNIA MEDICINE



ENDS ITCH EAST

ORAL ALLERCUR REACHES THE SKIN IN 10 MINUTES' FOR PROLONGED RELIEF

Allercur is the systemic answer to a dermatology problem. This single agent provides fast, prolonged relief of itching, both allergic and nonallergic, with only 2 to 4 tablets daily—without timed-release devices. Drowsiness and other side effects are of low degree. Unlike topical preparations, Allercur frees the patient of messy, inconvenient local application. Many risks of systemic phenothiazine and glucocorticoid therapy are decreased.

Effective: "An excellent or good antipruritic response occurred in 69 patients (79.5%). No toxic reactions occurred and there were virtually no side effects. Particularly notable were the absence of drowsiness and the rapidity with which the remission of itching occurred." Allercur is also effective in the management of conditions such as nasal allergy, including seasonal hay fever.

CAUTION: If drowsiness occurs, patients should avoid activities demanding alertness.

AVERAGE DOSE: 2 to 4 tablets daily in divided doses.

SUPPLIED: Tan, scored tablets, each containing 20 mg. clemizole HCl, in bottles of 100.

REFERENCES: 1. Kimmig, J.: Hautarzt 3:414 (Sept.) 1952. 2. Butler, P.G.: Western Med. 1:16 (Nov.) 1960. Bibliography on request.



New York 17, N. Y. Division, Chas. Pfizer & Co., Inc. Science for the World's Well-Being®

when allergies occur R

ALLERGUR

*Reg. T. M., Schering, A. G., Berlin

(clemizole HCI)



CLASSIFIED ADVERTISEMENTS

Rates for these insertions are \$10 for fifty words or less; additional words 10 cents each Box number charge: 50c

Copy for classified advertisements should be received not later than the eighth of the month preceding Issue. • Classified advertisers using Box Numbers forbid the disclosure of their identity. Your inquiries in writing will be forwarded to Box Number advertisers.

The right is reserved to reject or modify all classified advertising copy in conformity with the rules of the Advertising Committee.

CLASSIFIED ADVERTISEMENTS ARE PAYABLE IN ADVANCE

PHYSICIANS WANTED

CERTIFIED OR BOARD ELIGIBLE UROLOGIST with California license for Los Angeles area Group. M. Fosburg, Suite 1403, 650 S. Grand, Los Angeles, California.

NEED INTERNIST AND ENT man in community near San Diego of about 25,000. Brand new office space available, adjacent to 150-bed hospital. Box 95,945, California Medicine.

ANESTHESIOLOGIST—wanted in comfortably active area. Either salary basis or independent fee for service with \$18,000 a year guarantee to start. Indio Medical Clinic, B. G. Morris, M.D., 82-485 Miles Avenue, Indio, California.

GENERAL PRACTITIONER for fast-growing area. South of San Jose. 1500 families with no M.D. in radius of 4 miles. Office space available in 30 days. Finances can be arranged. Contact: Joseph A. Colla, 13270 Monterey Road, San Jose, California.

WANTED: GENERALISTS AND SPECIALISTS. California licensed for clinics, associations and partnerships. We cover all areas of the State. Hospital facilities and housing checked for you. Information gladly. CONTINENTAL-PACIFIC COAST MEDICAL BUREAU, Agency, 430 North Camden Drive, Beverly Hills, California, or 703 Market St., San Francisco.

RESIDENT PHYSICIAN M.D. (Anesthesiology) wanted for positions at Los Angeles County Harbor General Hospital. Salary \$290-\$550 mo. Appointees will be required to have California Physician & Surgeon's Certificate or letter acknowledging registration for next exam. Apply County of Los Angeles, Civil Service Comm., 222 N. Grand, Rm. 493, Los Angeles 12, Calif.

GARDEN GROVE, CALIFORNIA—Exceptional opportunity for ENT or Orthopedic specialist in booming Orange County. 12 young and already established generalists, specialists and dentists have two suites left in new medical building. Write R. H. McDonald, M.D., 13296 Verano, Garden Grove, California.

GENERAL PRACTITIONERS AND SPECIALISTS—See us for the many EXCEPTIONAL OPPORTUNITIES available in San Francisco, East Bay, Peninsula and throughout California, including associations and partnerships with established groups and individual physicians. For further information please contact Norma Rohl, THE MEDICAL CENTER AGENCY, Flood Building, Suite 412-414, 870 Market Street, San Francisco 2. CALL YUkon 2-3412.

GP DESIRED who wants, not needs, general practice, associate with well-established GP who owns new medical building in Sacramento; well-equipped with X-ray, laboratory; leading to association-partnership for right man, eventual ownership building if desired. Salary open; military obligation completed. 2 years training or few years experience desirable. Obstetrical interest necessary, surgical interest desirable. Photo—qualifications—interview. Box 95,820, California Medicine.

PHYSICIAN, GENERAL PRACTICE WANTED: 4-Physician group, East Bay, \$12,000 first year. Percentage thereafter, eventual full partnership. BAY AREA MEDICAL ASSOCIATION AGENCY, 870 Market Street, San Francisco, Calif. YUkon 2-6191. CONRAD K. HOWAN, MSHA, Director.

CARDIOLOGIST—Internist wanted with an interest in coagulation research. Excellent opportunity for association with well-established man in field in highly desirable university area with top research and teaching facilities. Reply: Box No. 95,975, California Medicine.

NEVADA: SENIOR PSYCHIATRIST—Salary: Range A—up to \$15,408 requires graduation from approved school with one year internship and five years psychiatric experience or residency approved by the A.M.A.; Range B—Salary: up to \$16,980, requires same as Range A plus certification by the American Board of Psychiatry and Neurology. Current vacancies exist at the Nevada State Hospital in Reno and in the Community Health Program in Las Vegas. This provides an excellent opportunity for someone desiring location in the center of a recreational and sports area featuring skiing, hunting, fishing, etc. Apply: State Personnel Department, Carson City, Nevada.

ASSOCIATES WANTED

ASSOCIATE TO SHARE well-equipped office near hopitals in new modern medical building. Also includes use of X-ray. Located in the San Gabriel Valley in Los Angeles County. Phone EDgewood 5-2009; or write Box No. 95,955, California Medicine.

INTERNIST—Board certified or eligible. Hematology subspecialty desired but not essential. Nine-man group established 12 years. Good salary, percentage and partnership arrangement. Large private practice Wilshire area, Los Angeles, California. Box 95,940, California Medicine.

GENERAL PRACTITIONER under 35 to join group of six (6) in growing practice. Starting salary \$1,200.00, plus excellent benefits and full partnership in two years. No night or weekend work and no obstetrics. Fifty-bed hospital with open staff next door. Must have completed military obligation. Write: C. O. Hermann, Bus. Mgr., Southeast Medical Center, 2625 E. Slauson Avenue, Huntington Park, California.

ORTHOPEDIC SURGEON 32 to 37 to join well-established orthopedic group (4) in southern California near excellent teaching facilities. Salary with possibility of future full partnership. Box 95,930, California Medicine.

SITUATIONS WANTED

GENERAL PRACTITIONER, 39, established in Los Angeles for eight years, emphasis in internal medicine, very adept surgical assistant, wishes to relocate in Bay area. Clinic or group practice desired. Box 95,965, California Medicine.

ORTHOPAEDIC SURGEON—Age 39, seeks association with individual or group. Box 95,935, California Medicine.

SURGEON—Board certified, age 35, family, foreign graduate, naturalized U. S. citizen, seeks re-location in California; desires association with group or other suitable arrangement. Box 95,925, California Medicine.

PSYCHIATRIST—certified neurology and psychiatry, highest qualifications every branch of specialty, licensed California '43, leaving established practice in New York City—seeks association in private practice or part-time clinic or consultation appointment, Los Angeles area preferred. Box 95,905, California Medicine.

REAL ESTATE FOR SALE

BELVEDERE LAGOON—PRESCRIPTION FOR DOCTORS: Everybody's got problems—and they tell 'em to you, don't they, doctor? But how do you get rid of your tensions? The most enjoyable way we can prescribe is to live on the delightful Belvedere Lagoon, in Marin County, thirty minutes from San Francisco. Come home after a hard day, dive off your front yard dock for a swim, or untie your sailboat and let Nature's own therapy of wind and water wash away your cares. The Lagoon's relaxed, resort-type atmosphere is perfect for entertaining, wonderful for kids. Buy our large Lagoon lot and build to your own taste. PRospect 6-0248, or write Box No. 95,990, California Medicine.

(Continued on Page 78)

PHYSICIAN PLACEMENT SERVICE

of the

CALIFORNIA MEDICAL ASSOCIATION

The C.M.A. offers free placement assistance through the Physician Placement Service, 693 Sutter Street, San Francisco 2, California. This service is for the use of all physicians seeking practice opportunities in California and for C.M.A. members who are seeking an assistant or associate. A monthly bulletin is published.

CLASSIFIED ADVERTISEMENTS

(Continued from Page 76)

PRACTICES FOR SALE

VERY ACTIVE GENERAL PRACTICE in Imperial Valley. Excellent hospital facilities, open staff. Gross cash receipts over \$100,000 a year—will easily support two G.P.'s. Modern, fully equipped medical building. Reasonable terms, Box No. 95,960, California Medicine.

OFFICES FOR LEASE. RENT OR SALE

DESERT AREA—Home with full equipped medical office adjoining. Five-ton refrigeration unit. \$25,000, low down payment. Box No. 95,885, California Medicine.

IDEAL FOR GROUP PRACTICE, Southern California. Two-story medical building, all partitions movable. Best location in burgeoning city of 100,000. Box No. 95,970, California Medicine.

SAN JOSE—"Forest Garden" distinctive medical building in prime location. O'Connor Hospital area near Macy's, Emporium, and Town and Country. Unique "Curtain-Wall" construction of building gives an open, free feeling which contributes to a pleasant, less tiring day. Write or call collect. James Montagne, 596 Emory, San Jose. CY 2-8945.

BUILDING FOR RENT—HEMET, CALIFORNIA. Medical building in fast-growing rural community with trade area of 23,000, which offers excellent opportunity for G.P., E.N.T., or other. 1800 sq. ft. (will divide), central heat, refrig. air cond., dark room, etc., ample parking Close to 56-bed hospital. E. S. Cox, 116 S. Taylor, Phone 658-2144.

SAN LEANDRO, CALIFORNIA—New medical building leasing October, 1961, adjacent to Doctor's Hospital. Great opportunity for Eye, ENT, G.P., Orthopedics, Urology, Dermatology, and Surgery. Modern, air-conditioning, elevator, pharmacy, and complete outpatient service 50 feet from hospital. Mr. Henry Maier, 13855 E. 14th St., San Leandro, California. EL 7-6500.

BEAUTIFUL, NEW, AIR-CONDITIONED MEDICAL-DENTAL BUILD-ING in the East Bay Area, centrally located to San Leandro, San Lorenzo, Castro Valley and Hayward. Now occupied by two General Practitioners, a Dentist, a Chiropodist, a Radiologist, and a Drug Store. Present occupants would welcome new doctors and try to assist them in getting started. Population: 30,000—with only four General Practitioners in the immediate area. Rental basis on a graduated scale. For further information, contact: Marco H. Goodman, M.D., 16378 E. 14th Street, San Leandro, California.

MEDICAL CENTER BUILDING, 1919 STATE STREET, SANTA BARBARA, CALIF. 20,000 feet, fully modern prime location near hospitals and center of City for private practice. Parking, X-ray, pharmacy, and Laboratory. Remaining suites especially available to internal medicine, orthopedics, ENT, and Obstetrics. Scarted with completion soon in 1961. John M. Richards, M.D., owner.

EQUIPMENT WANTED

USED OFFICE EQUIPMENT FOR STARTING PRACTICE—wanted by G.P. Box No. 95,950, California Medicine.

LABORATORIES

BIOCHEMICAL PROCEDURES—Service to the Medical Profession.
PALO ALTO MEDICAL LABORATORY, Carl L. Ebnother, M.D.,
Medical Director. Suite A, 777 Welch Road, Palo Alto, California—
DAvenport 1-7093.

CLASSIFIED ADVERTISEMENTS

USE THIS BLANK TO WRITE YOUR CLASSIFIED AD TO FIND: ASSOCIATES • PARTNERS • EMPLOYEES • PRACTICES • EQUIPMENT, ETC.

Copy for classified advertisements should be received not later than the eighth of the month preceding issue.

Advertisements are payable in advance.

LIFORNIA	INCISCO 2, CA	SAN FRANC	TTER STREET,	I N E 693 S	IEDIC		
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
			A 1.1				.
			Address				
tor each	or less, plus 10¢) words or le	tor the tirst 50	o include \$10.0			
to	or less, plus 10¢) words or le	address in ad		•	ional word.	addition



GERAMINE IN ONE ECONOMICAL TABLET

Doctor

City.

Each GERAMINE Tablet Contains:

How Supplied: Bottles of 100. Each 10 Units of Alpha-Anylose W.100 will bydrolyze 19.1 mg. of soluble starch per hour at body temperature. Each 10 Units of Proteinase W.300 will bydrolyze 2 mg. of Casein per hour at body temperature. Each 10 Units of Fiberase W.1000 will bydrolyze 0.33 mg. of dry vegetable fiber or between 5 to 12.5 mg. of natural moist vegetable in 2 hours at body temperature. Each 10 Units of Lipase will bydrolyze 5 mg. of dietary fat at body temperature.

WRITE FOR **GERAMINE SAMPLES** AND LITERATURE

BROWN

The BROWN PHARMACEUTICAL COMPANY 2500 WEST SIXTH ST., LOS ANGELES 57, CALIF.

VITAMINS Vitamin A 2,500 USP U. Vitamin B-2 1.5 mg. Vitamin B-6 0.1 mg. Vitamin B-12 0.5 mcg. Niacinamide 10 mg. Calcium Pantothenate 1 mg. Vitamin C 20 mg. Vitamin D 250 USP U. Vitamin E 0.25 mg. Folic Acid 0.10 mg. Nicotinic Acid 5 mg. Thiamine HCl 10 mg.
Dicalcium Phosphare 227 mg. Tricalcium Phosphare 227 mg. Cobalt Sulfare 0.1 mg. Copper Sulfare 0.5 mg. Manganese Sulfare 0.5 mg. Porassium Sulfare 1 mg. Zinc Sulfare 1 mg. Magnesium Sulfare 10 mg. Potassium Iodide 0.05 mg. Sodium Molybdare 0.10 mg. Ferrous Fumarare 50 mg. DOSAGE: One tablet 3 times daily with meals or as prescribed by physician. Female Patient: 21 days medication: 5-7 days rest. CAUTION: Federal Law prohibits dispensing without prescription.
THE BROWN PHARMACEUTICAL COMPANY 2500 West Sixth St., Los Angeles 57, Calif. Please send me GERAMINE: Samples Literature Literature

Lifts depression...



as it calms anxiety!

Smooth, balanced action lifts depression as it calms anxiety... rapidly and safely

Balances the mood-no "seesaw" effect of amphetamine-barbiturates and energizers. While amphetamines and energizers may stimulate the patient -they often aggravate anxiety and tension.

And although amphetamine-barbiturate combinations may counteract excessive stimulation—they often deepen depression.

In contrast to such "seesaw" effects. Deprol's smooth, balanced action lifts depression as it calms anxiety—both at the same time.

Acts swiftly - the patient often feels better, sleeps better, within a few days. Unlike the delayed action of most other antidepressant drugs, which may take two to six weeks to bring results, Deprol relieves the patient quickly — often within a few days. Thus, the expense to the patient of long-term drug therapy can be avoided.

Acts safely - no danger of liver damage. Deprol does not produce liver damage, hypotension, psychotic reactions or changes in sexual function-frequently reported with other antidepressant drugs.

Bibliography (13 clinical studies, 858 patients): 1. Alexander, L. (35 patients): Chemotherapy of depression - Use of meprobamate combined with benactyzine (2-diethylaminoethyl benzilate) hydrochloride. J.A.M.A. 166:1019, March 1, 1958. 2. Bateman, J. C. and Carlton, H. N. (50 patients): Meprobamate and benactyzine hydrochloride (Deprol) as adjunctive therapy for patients with advanced cancer. Antibiotic Med. & Clin. Therapy 6:648, Nov. 1959. 3. Beerman, H. M. (44 patients): The treatment of depression with meprobamate and benactyzine hydrochloride. Western Med. 1:10, March 1960. 4. Bell, J. L., Tauber, H., Santy, A. and Pulito, F. (77 patients): Treatment of depressive states in office practice. Dis. Nerv. System 20:263, June 1959. 5. Breitner, C. (31 patients): On mental depressions. Dis. Nerv. System 20:142, (Section Two), May 1959. 6. Gordon, P. E. (50 patients): Deprol in the treatment of depression. Dis. Nerv. System 21:215, April 1960. 7. Landman, M. E. (50 patients): Clinical trial of a new antidepressive agent. J. M. Soc. New Jersey. In press, 1960. 8. McClure, C. W., Papas, P. N., Speare, G. S., Palmer, E., Slattery, J. J., Konefal, S. H., Henken, B. S., Wood, C. A. and Ceresia, G. B. (128 patients): Treatment of depression - New technics and therapy. Am. Pract. & Digest Treat. 10:1525, Sept. 1959. 9. Pennington, V. M. (135 patients): Meprobamate-benactyzine (Deprol) in the treatment of chronic brain syndrome, schizophrenia and senility. J. Am. Geriatrics Soc. 7:656, Aug. 1959. 10. Rickels, K. and Ewing, J. H. (35 patients): Deprol in depressive conditions. Dis. Nerv. System 20:364, (Section One), Aug. 1959. 11. Ruchwarger, A. (87 patients): Use of Deprol (meprobamate combined with benactyzine hydrochloride) in the office treatment of depression. M. Ann. District of Columbia 28:438, Aug. 1959. 12. Settel, E. (52 patients): Treatment of depression in the elderly with a meprobamate-benactyzine hydrochloride combination. Antibiotic Med. & Clin. Therapy 7:28, Jan. 1960. 13. Splitter, S. R. (84 patients): Treatment of the anxious patient in general practice. J. Clin. & Exper. Psychopath. In press, April-June 1960.

'Deprol'

Dosage: Usual starting dose is 1 tablet q.i.d. When necessary, this dose may be gradually increased up to 3 tablets q.i.d.

Composition: 1 mg. 2-diethylaminoethyl benzilate hydrochloride (benactyzine HCl) and 400 mg. meprobamate. Supplied: Bottles of 50 light-pink, scored tablets. Write for literature and samples.




wallace Laboratories / Cranbury, N. J.

DELADUMONE 2X

Squibb Testosterone Enanthate and Estradiol Valerate

PREVENTS LACTATION AND BREAST ENGORGEMENT / just one injection at the end of the first stage of labor / optimally balanced, long-acting combination of gonadal steroids for <u>easy injection</u> through small-gauge needle because of low viscosity / virtually eliminates need for analgesics' / essentially eliminates withdrawal reaction and secondary breast engorgement sometimes associated with oral medication' / does not affect involution of uterus or restoration of normal ovarian function².





Supply: Each cc. of Deladumone 2X provides 180 mg, testosterone enanthate and 8 mg, estradiol valerate dissolved in sesame oil. Vials of 2 cc. <u>Dosage</u>: 2 cc. given as a single intramuscular injection preferably at the end of the first stage of labor or else <u>Immediately</u> upon delivery. For full information see your <u>Squibb Product Reference</u> or <u>Product Brief</u>. References: 1. Watrous, J. B., Jr., et al.: J.A.M.A. 169: 246 (Jan. 17) 1959. 2. Lo Presto, B., and Caypinar, E.Y.: <u>J.A.M.A.</u> 169: 250 (Jan. 17) 1959.


82 CALIFORNIA MEDICINE

Positive Antithrombotic Therapy

HEPARIN

is the only substance that protects against the organization and extension of thrombi by acting on both the clotting mechanism and on elevated lipid levels.


There is a growing body of evidence for inter-relationships among elevated serum lipids, atherosclerosis, hypercoagulability, and thrombosis.



LIPO-HEPIN

HEPARIN SODIUM INJECTION, AQUEOUS






immunize with

Adult DIP-TET Malhydrox®

DIPHTHERIA-TETANUS TOXOIDS COMBINED



Reduction of reactivity in Adult Dip-Tet is achieved through extreme purification of the toxoids (particularly the diphtheria toxoid) which reduces their volume, and through their adsorption on Alhydrox (aluminum hydroxide) which slows absorption. Developed and used by the armed forces since 1955, this type of vaccine is specifically recommended for children over 8 years of age, teenagers and adults.

DIPHTHERIA AND TETANUS PROTECTION FOR ALL YOUR PATIENTS FROM 8 TO 80 WITH FAR LESS DANGER OF SERIOUS REACTIONS

1. Graham, B. S., et al. J.A.M.A. 166:1586, 1958.

For complete information see PDR page 576, Ask your Cutter Man or write to Dept. I-5H

